

LIBRARY
STATE PLANT BOARD

THE INSECT PEST SURVEY
BULLETIN

Volume 20

1940

Index

BUREAU OF
ENTOMOLOGY AND PLANT QUARANTINE
UNITED STATES
DEPARTMENT OF AGRICULTURE
AND
THE STATE ENTOMOLOGICAL
AGENCIES COOPERATING



Digitized by the Internet Archive
in 2016

<https://archive.org/details/insectpestsurvey2019wash>

INSECT PEST SURVEY BULLETIN

Vol. 20	1940	Index
	<u>No.</u>	<u>Page</u>
"Alfalfa weevil scouting, 1940," article by J. C. Hamlin-----	7(Sup.)	429-431
Bess, H. A.: "Insects breeding in hurricane-felled timber in New England"-----	5	279-280
Bradley, W. G.: "Colonization of European corn borer parasites in 1940." With C. A. Clark-----	9(Sup.)	533-538
"The field status of parasites of the European corn borer at the close of the 1939 season." With C. A. Clark-----	9(Sup.)	525-532
Callenbach, J. A.: "Populations and host preferences of June beetles in southern Wisconsin in 1940." With others.-----	9(Sup.)	539-541
Cartwright, W. B.: "Hessian fly survey at harvest time, 1940!"-----	8(Sup.)	483-484
Chamberlin, T. R.: "Populations and host preferences of June beetles in southern Wisconsin in 1940." With others.-----	9(Sup.)	539-541
"Chinch bugs, populations in hibernation, November-December 1939," article by Division of Cereal and Forage Insect Investigations and Division of Domestic Plant Quarantines-----	1(Sup.)	35-36
Clark, C. A.: "Colonization of European corn borer parasites in 1940." With W. G. Bradley-----	9(Sup.)	533-538
"The field status of parasites of the European corn borer at the close of the 1939 season." With W. G. Bradley-----	9(Sup.)	525-532
"European corn borer, damage in 1939, estimates of," article by A. M. Vance-----	1(Sup.)	37-39
"European corn borer, damage in 1940, estimates of," article by A. M. Vance-----	9(Sup.)	555-557

	<u>No.</u>	<u>Page</u>
"European corn borer parasites, colonization in 1940," article by C. A. Clark and W. G. Bradley-----	9(Sup.)	533-538
"European corn borer parasites, field status of at close of 1939 season," article by W. G. Bradley and C.A. Clark-----	9(Sup.)	525-532
"European corn borer, status in 1940," article by A. M. Vance-----	9(Sup.)	543-554
Fluke, C. L.: "Populations and host preferences of June beetles in southern Wisconsin in 1940." With others	9(Sup.)	539-541
Hamlin, J. C.: "Alfalfa weevil scouting, 1940."-----	7(Sup.)	429-431
"Hessian fly survey at harvest time, 1940," article by W. B. Cartwright-----	8(Sup.)	483-484
"Hurricane-felled timber in New England, insects breeding in," article by H. A. Bess-----	5	279-280
Insect Pest Survey, reporters for 1939, list-----	2	43-48 .
"Insects, breeding in hurricane-felled timber in New England," article by H. A. Bess-----	5	279-280
"Japanese beetle parasites, colonization in 1939," article by J. L. King and L. B. Parker-----	4(Sup.)	209-211
"June beetles, populations and host preferences in southern Wisconsin in 1940," article by T. R. Chamberlin and others-----	9(Sup.)	539-541
King, J. L.: "Colonization of Japanese beetle parasites in 1939." With L. B. Parker-----	4(Sup.)	209-211
"New England, insects breeding in hurricane-felled timber in," article by H. A. Bess-----	5	279-280
"Parasites, Japanese beetle, colonization in 1939," article by J. L. King and L. B. Parker-----	4(Sup.)	209-211
"Parasites, European corn borer, colonization in 1940," article by C. A. Clark and W. G. Bradley-----	9(Sup.)	533-538
"Parasites, European corn borer, field status of at close of 1939 season," article by W. G. Bradley and C. A. Clark-----	9(Sup.)	525-532

	<u>No.</u>	<u>Page</u>
"Parasites, Japanese beetle, colonization in 1939," article by J. L. King and L.B. Parker-----	4(Sup.)	209-211
Parker, L.B.: "Colonization of Japanese beetle para- sites in 1939." With J. L. King-----	4(Sup.)	209-211
Reporters for Insect Pest Survey for 1940, list-----	2	43-48
Seaton, Lee: "Populations and host preferences of June beetles in southern Wisconsin in 1940." With others-----	9(Sup.)	539-541
Vance, A. M.: "Estimates of damage by the European corn borer in 1939"-----	1(Sup.)	37-39
"Estimates of damage by the European corn borer in 1940"-----	9(Sup.)	555-557
"Status of the European corn borer in 1940"-----	9(Sup.)	543-554
"Wisconsin, southern, populations and host preferences of June beetles in 1940," article by T.R. Chamber- lin and others-----	9(Sup.)	539-541

(Common names listed separately at the end)

	<u>No.</u>	<u>Page</u>
Acantholyda erythrocephala L. -----	5	276
	6	350
	7	412
Acanthoscelides obtectus (Say) -----	1	33
	4	207
Aceratagallia uhleri Van D. -----	9	523
Acrididae -----	1	6
	2	41, 49
	3	73, 76-77
	4	127, 130-138
	5	213, 215, 218-224
	6	291, 294-297
	7	369, 371-372, 374
	8	435-436
	9	486
Acrobasis caryae Grote -----	4	165
Acronycta sp. -----	8	437
Acrosternum hilare (Say) -----	5	245
	7	394
	8	454
Adelges abietis (L.) -----	1	22
	7	414
Adelges coolevi (Gill.) -----	1	22
	4	191
	5	278
	7	414
Adelphocoris rapidus (Say) -----	5	265
Adelphocoris superbus (Uhl.) -----	4	152
Adoxus obscurus villosulus Schr. -----	4	178
Aedes aegypti (L.) -----	4	198
	6	358
Aedes bimaculatus (Coq.) -----	8	476
	9	516
Aedes canadensis (Theob.) -----	6	358
	7	420
Aedes cinereus Meig. -----	6	358
Aedes dorsalis (Meig.) -----	8	476
Aedes excrucians (Walk.) -----	7	420
Aedes infirmatus D. and K. -----	9	516
Aedes intrudens Dyar -----	6	358
Aedes lateralis (Meig.) -----	3	115
	6	358
	7	421
Aedes nigromaculis (Ludl.) -----	8	476
Aedes sollicitans (Walk.) -----	3	115
	5	284
	6	358
	9	516

	<u>No.</u>	<u>Page</u>
Aedes sp. -----	2	68
Aedes spp. -----	6	358
Aedes stimulans (Walk.) -----	6	358
Aedes taeniorhynchus (Wied.) -----	3	115
	6	358
	7	421
	8	476
	9	516
Aedes tormentor D. and K. -----	8	476
	9	516
Aedes triseriatus (Say) -----	4	198
Aedes varipalpus (Coq.) -----	4	198
Aedes vexans (Meig.) -----	3	115
	6	358
	7	421
	8	476
Aeoloplus turnbulii Thos. -----	3	73, 76
	4	131, 133-134, 138
	5	220, 221
	6	294, 295
	7	369
	10	560
Aeolus dorsalis (Say) -----	5	232
Ageneotettix deorum (Scudd.) -----	5	224
	6	296
Agonoderus lecontei Chaud. -----	3	82
	5	236
	6	308
	8	457
Agrilus anxius Gory -----	3	107
	4	187
	5	272
	7	406
	8	465
Agrilus arcuatus (Say) -----	7	411
	8	468
Agrilus bilineatus (Web.) -----	9	510
Agrilus ruficollis (F.) -----	3	93
	5	246
Agrilus sp. -----	6	365
Agriotes mancus (Say) -----	4	145
	5	231
Agromyza simplex Loew -----	4	176
Agrotis orthogonia Morr. -----	2	50
	4	127, 142
	5	226
	8	437
Agrotis vetusta Walk. -----	4	141
Agrotis ypsilon (Rott.) -----	2	50
	3	78
	4	142
	5	226
	6	299

	<u>No.</u>	<u>Page</u>
Alabama argillacea (Hbn.) -----	4	181
	5	215, 263
	6	339
	7	371, 400-401
	8	434, 461
	9	505
	10	576
Aleurodes azaleae (B. & M.) -----	4	194
Aleurodidae -----	6	341
	7	403
	8	463
Aleurothrixus howardi (Quaint.) -----	8	449
Alphitobius diaperinus (Panz.) -----	8	481
Alphitobius piceus (Oliv.) -----	9	523
Alsophila pometaria (Harr.) -----	1	19
	3	106
	4	185, 186
	5	270
Altica carinata Germ. -----	1	20
	4	188
Altica ulmi Woods -----	1	20
	4	188
	5	273
Amblyomma americanum (L.) -----	3	118
	6	362
	7	423
Amblyomma maculatum Koch -----	6	362
	10	591
Anabrus simplex Hald. -----	2	41, 50
	3	77
	4	127, 139-141
	5	213, 225-226
	6	291, 297-298
	7	369, 374
	8	436
	10	561
Anacentrinus subnudus Buch. -----	1	6
	8	442
Anacomis lignea F. -----	4	206
Anarsia lineatella Zell. -----	2	54
	3	92
	4	161
	6	310
	9	497
Anasa armigera (Sav) -----	7	395
Anasa tristis (Deg.) -----	4	176
	5	257
	6	292, 329-330
	7	370, 395-396
	8	434, 455-456
	9	502

	<u>No.</u>	<u>Page</u>
Ancylis comptana (Froel.) -----	5	260
	6	333
Andricus excavatus Ashm. -----	9	510
Andricus punctatus Bass. -----	3	109
Anisota rubicunda (F.) -----	7	410
	8	468
Anisota senatoria (A. & S.) -----	8	468
Anobium punctatum Deg. -----	4	207
Anomala nigropicta Csy. -----	3	96
Anomala oblivia Horn -----	5	277
Anomala undulata Melsh. -----	6	326
Anopheles crucians Wied. -----	7	421
Anopheles punctipennis (Say) -----	7	420
	9	516
Anopheles quadrimaculatus Say -----	9	516
Anopheles walkeri Theob. -----	9	516
Anoplura -----	3	118
Anthoboscus ruricola (Oliv.) -----	8	468
Anthonomus eugenii Cano -----	1	2, 18
	6	292, 334
	7	370, 397
	9	503
	10	570
Anthonomus grandis Boh. -----	1	18
	2	61
	3	74, 105
	4	129, 180-181
	5	215, 261-263
	6	292, 336-338
	7	370, 398-400
	8	434, 458-459
	9	504
	10	560, 575-576
Anthonomus signatus Say -----	3	103
	4	177-178
	5	217, 259
	6	333
Anthrenus scrophulariae (L.) -----	1	32
	9	523
Anthrenus verbasci (L.) -----	1	32
	4	207
	6	366
	9	523
Anthrenus vorax Wtrh. -----	3	123
	4	207
	9	523
Anticarsia gemmatilis (Hbn.) -----	7	383
	8	438
	9	494

	<u>No.</u>	<u>Page</u>
Antipus laticlavis (Forst.) -----	6	344
Antispila nyssaefoliella Clem. -----	9	512
Amuraphis maidi-radicis (Forbes) -----	4	150
	6	308
Anuraphis persicae-niger (Smith) -----	3	92
Anuraphis roseus Baker -----	1	7
	3	90
	4	128, 159
	5	242
	6	292, 313
Anurogryllus muticus (Deg.) -----	4	150
Anychus clarki McG. -----	8	450
Aonidiella aurantii (Mask.) -----	3	96
	4	166
	5	214, 248
	6	292, 319
	7	390
	8	450
Aonidiella citrinus (Coq.) -----	7	390
Apanteles carpatus Say -----	6	367
Apanteles congregatus Say -----	8	457
	10	572
Apanteles flaviconchae Riley -----	1	5
	2	53
	5	238
	7	382
	8	441
	9	493
Apanteles spp. -----	10	572
Apanteles phalerata Harr. -----	6	300
Apanteles rectilinea French -----	6	301
Apanteles spp. -----	6	301
Aphelinus mali (Hald.) -----	6	313
Aphiidae -----	1	7, 12, 16
	2	42, 60
	3	74, 89-90, 101
		102, 111, 114
	4	128, 129, 158-
		159, 163, 174
		182-183, 189-
		190, 197-198
	5	215, 255-256
		265-266
	6	293, 313, 340-
		341
	7	402-403
	8	455, 462
	10	567-568
Aphis forbesi Weed -----	1	18
Aphis gossypii Glov. -----	1	23
	4	166
	5	265
	6	323, 341, 357
	7	370, 396
	8	456, 462

	No.	Page
<i>Aphis illinoisensis</i> Shim. -----	6	318
<i>Aphis maidis</i> Fitch -----	6	308
	7	370, 380
	8	433, 440
	9	492
<i>Aphis medicaginis</i> Koch -----	3	96
	9	494
<i>Aphis nerii</i> Fonsc. -----	3	112
<i>Aphis pawneepae</i> Hottes -----	6	351
<i>Aphis pomi</i> Deg. -----	1	7
	3	90
	4	159
	5	242, 243
	6	292, 313
<i>Aphis rumicis</i> L. -----	1	23
	2	65
	4	198
	5	283
	7	394
	8	457
	9	501
<i>Aphis</i> sp. -----	2	67
<i>Aphis spiraeicola</i> Patch -----	1	2, 10
	2	41, 57
	3	74, 96
	4	166
	5	283
	8	449
<i>Aphis varians</i> Patch -----	5	246
<i>Aphis viburnicola</i> Gill. -----	4	198
<i>Aphodius</i> sp. -----	5	231
<i>Aphomia gularis</i> Zell. -----	5	289
<i>Aphrophora parallela</i> (Say) -----	1	21
	4	191
	5	277
	6	351
<i>Aplomya caesar</i> Ald. -----	9 (Sup.)	527, 531
<i>Araecerus fasciculatus</i> (Deg.) -----	2	60
<i>Argas miniatus</i> Koch -----	9	520
<i>Argyresthia thuiella</i> (Pack.) -----	5	281
	6	355
<i>Argyrotaenia citrana</i> (Fern.) -----	4	167
	6	319
	8	447
<i>Argyrotaenia mariana</i> (Fern.) -----	7	373
<i>Argyrotaenia pinatubana</i> (Kearf.) -----	7	371, 413
<i>Argyrotoxa semipurpurana</i> Kearf. -----	4	190
	5	276
	6	349
<i>Arphia pseudonietana</i> (Thos.) -----	4	133
<i>Aristotelia fragariae</i> Busck -----	3	104
<i>Arytaina ribesiae</i> (Crawf.) -----	6	317

	<u>No.</u>	<u>Page</u>
Asemum moestum Hald. -----	5	279
Asphondylia sp. -----	6	334
Aspidiotus californicus Coleman -----	3	110
Aspidiotus camelliae Sign. -----	3	110
Aspidiotus forbesi Johns. -----	1	9
	4	162
	8	443
Aspidiotus hederæ (Vallot) -----	2	67
	4	196
	8	475
Aspidiotus nerii Bouche -----	2	67
Aspidiotus osborni Newm. & Ckll. -----	8	464
Aspidiotus perniciosus Comst. -----	1	1, 7
	2	41, 54
	3	87
	4	155
	6	310
	7	384
	8	442-443
	9	494
Aspidiotus uvæ Comst. -----	2	56
	4	165
Asterolecanium sp. -----	7	419
	8	474
Asterolecanium variolosum (Ratz.) -----	3	109
	4	190
	7	411
	8	469
Attagenus piceus (Oliv.) -----	1	32
	2	71
	3	122-123
	4	207
	6	366
Aulocara elliotti Thos. -----	3	73, 76, 77
	4	131, 133, 138
	5	220
	6	295
Aulacaspis pentagona (Targ.) -----	1	7
	3	74, 92
	4	197
	8	443
	9	495
Aulacaspis rosæ (Bouche) -----	2	56
	3	94
	4	164-165
	8	475
Autographa brassicae (Riley) -----	1	14-15
	4	174
	6	329
	8	455
	9	501

	<u>No.</u>	<u>Page</u>
Autographa californica (Speyer) -----	5	238
Automeris io (F.) -----	8	472
Autoserica castanea (Arrow) -----	4	145
	5	230
	7	378
Baldulus maidis Del. and Wolcott -----	9	493
Bassus agilis Cress. -----	9 (Sup.)	528, 531
Bathyplectes curculionis (Thoms.) -----	1	5
	2	53
	3	83
	4	150
	5	237
	6	309
Bedellia minor Busck -----	8	457
Blaniulus guttulatus Bosc. -----	1	14
Blapstinus spp. -----	3	102
	5	256
Blastophaga psenes (L.) -----	1	11
	8	434, 450
Blatta orientalis L. -----	1	31
	2	71
	3	121
	4	204
	5	288
	6	363
	7	425
Blattella germanica (L.) -----	1	31
	2	71
	3	120-121
	4	204
	5	288
	6	363
	7	425
	8	481
	9	521
Blissus hirtus Montd. -----	6	354
	7	416
Blissus leucopterus (Say) -----	1	4
	1 (Sup.)	35-36
	2	41, 52
	3	73, 80-81
	4	128, 147-148
	5	213, 233-234
	6	292, 305-306
	7	370, 379-380
	8	433, 440
	9	485, 490-491
	10	560, 562-563
Blissus leucopterus insularis Barb. -----	8	471
Boopeton nubilum Say -----	7	374

	<u>No.</u>	<u>Page</u>
Bourletiella hortensis (Fitch) -----	4	179
Brachyiulus pusillus Leach -----	1	25
Brachyrhinus ovatus (L.) -----	3	104
	4	177, 194
	5	259
	6	333
Brachyrhinus rugosostriatus (Goeze) -----	4	177
	5	259
	6	333
Brachyrhinus singularis (L.) -----	5	216
Brachyrhinus spp. -----	5	234
Brachyrhinus sulcatus (F.) -----	4	193
	5	259
Brachystola magna (Gir.) -----	5	220, 223
Brevicoryne brassicae (L.) -----	2	42, 60
	4	174
	5	215, 255-256
	6	329
Bruchophagus gibbus (Boh.) -----	7	382
	9	437
Bruchus brachialis Fahraeus -----	1	1, 6
	4	152-153
	5	238
	6	310
	7	370, 383
	9	494
	10	564
Bruchus pisorum (L.) -----	3	101
	4	173
	5	255
	6	326-327
	7	395
	8	454
	10	571
Bryobia praetiosa Koch -----	3	122
	4	205
	5	289
Bucculatrix ainsliella Murt. -----	9	509
Bucculatrix canadensiella Chamb. -----	8	465
Bucculatrix thurberiella Busck -----	8	434, 463
	9	486, 505
Buprestis aurulenta L. -----	4	206
Buprestis lineata F. -----	8	482
Buprestis rufipes (Oliv.) -----	6	365
Buprestis salisburyensis (Hbst.) -----	4	206
Byturus unicolor Say -----	3	94
	4	164
Cacoecia argyrospila (Walk.) -----	1	8
	2	55
	3	89
	4	128, 157-158
	5	241
	6	312
	7	385

	<u>No.</u>	<u>Page</u>
<i>Cacoecia cerasivorana</i> (Fitch) -----	5	272
<i>Cacoecia fumiferana</i> (Clem.) -----	7	413
	10	580
<i>Cacoecia infumatana</i> Zell. -----	3	95
<i>Cacoecia</i> sp. -----	7	420
<i>Calaphis betulaecolens</i> (Fitch) -----	7	407
<i>Calaphis betulella</i> Walsh -----	5	272
<i>Calendra aequalis</i> (Gyll.) -----	5	236
	6	308
<i>Calendra callosa</i> Oliv. -----	5	237
<i>Calendra destructor</i> (Chittn.) -----	5	236
<i>Calendra maidis</i> (Chittn.) -----	6	308
<i>Calendra parvula</i> (Gyll.) -----	6	308
<i>Calendra</i> spp. -----	5	236
<i>Caliroa aethiops</i> (F.) -----	5	283
<i>Caliroa cerasi</i> (L.) -----	5	246
	7	388
	8	447
<i>Callidium janthinum</i> Lec. -----	6	365
<i>Callidium violaceum</i> (L.) -----	6	364
<i>Callimome druparum</i> (Boh.) -----	8	445
<i>Calliphora erythrocephala</i> (Meig.) -----	2	72
<i>Callosobruchus maculatus</i> (F.) -----	8	442
<i>Callyntrotus hystrix</i> Nal. -----	8	442
<i>Calocalpe undulata</i> L. -----	7	405
<i>Calomycterus setarius</i> Roelofs -----	5	231
	7	378
<i>Calosoma</i> sp. -----	7	404
<i>Calosoma wilcoxi</i> Lec. -----	5	270
<i>Cammula pellucida</i> (Scudd.) -----	4	127, 130, 131, 133
	5	213, 222, 223, 224
	6	296
<i>Camponotus abdominalis floridanus</i> Buckl. -----	3	120
	6	362
<i>Camponotus caryae rasilis</i> Whlr. -----	4	203
	7	425
	8	480
<i>Camponotus castaneus</i> Latr. -----	5	287
<i>Camponotus herculeanus pennsylvanicus</i> (Deg.) -----	5	287
	6	363
	7	424, 425
<i>Camponotus</i> sp. -----	3	120
<i>Campylenchia latipes</i> (Say) -----	6	310
	7	382
<i>Canthon</i> spp. -----	5	285
<i>Capitophorus gillettei</i> Theob. -----	5	280
	6	354
	7	416
<i>Capitophorus ribis</i> (L.) -----	4	164
	6	317

	<u>No.</u>	<u>Page</u>
Capucinella sp. -----	1	31
Carpocapsa pomonella (L.) -----	1	7-8
	2	54
	3	74, 87-88
	4	128, 155-157
	5	214, 217, 240-
		241
	6	292, 311-312
	7	270, 372, 384-
		385
	8	433, 443-444
	9	487, 495
	10	560, 567
Carpophilus hemipterus (L.) -----	1	34
	8	450
Carposina comonana Kearf. -----	7	388
Cathartus advena (Waltl.) -----	1	34
	9	523
Catorama sp. -----	3	123
Catopsilia eubule L. -----	8	438
Catorhintha gittula F. -----	6	309
Cecidomyia ocellaris O. S. -----	5	275
Cecidomyia pudibunda O. S. -----	6	345
Cecidomyia verrucicola O. S. -----	7	409
Celama sorghiella (Riley) -----	8	441
Cephus cinctus Nort. -----	5	216
	7	372
	9	486
Cephis pygmaeus (L.) -----	4	148
	5	216
	7	379
Ceratomia catalpae (Bdv.) -----	6	345
	8	466
	9	508
Ceratopus sp. -----	2	72
Ceresa bubalus (F.) -----	1	24
	3	87
	6	311
Ceroplastes cirripediformis Comst. -----	1	24
	3	113
Cerotoma trifurcata (Forst.) -----	1	14
	3	100
	4	129, 172-173
	5	215, 254
	7	394
	8	453
	9	501
Ceutorhynchus assimilis Payk. -----	4	175
	6	292, 328
	9	487

	<u>No.</u>	<u>Page</u>
Ceutorhynchus rapae Gyll. -----	4	175*
	5	256, 257*
	6	328
Ceutorhynchus tau Lec. -----	3	103
Chaetocnema confinis Crotch -----	4	177
	5	259
	6	333
	9	503
Chaetocnema denticulata (Ill.) -----	9	491
Chaetocnema pulicaria Melsh. -----	3	82
	4	150
Chaitophorus viminalis Moneill -----	6	353
	7	415
	8	471
Chalcodermus aeneus Boh. -----	3	84
	5	238
	6	310
	7	382
	8	441
Chalepus dorsalis Thunb. -----	3	108
	4	189
	6	348
	7	371, 409-410
	8	467
Chaoborus astictopus D. & K. -----	4	199
	6	359
	9	517
	10	589
Chelonus annulipes Wesm. -----	9 (Sup. 1)	526, 528,
		531, 532
	9 (Sup. 2)	533, 534
		535, 536
Chelymorpha cassidea (F.) -----	6	333
	7	397
	8	457
Chermes strobilobius Kltb. -----	5	274
Chionaspis americana Johns. -----	9	508
Chionaspis euonymi Comst. -----	1	25
	2	66
	6	356
	7	418
	8	473
	9	514
Chionaspis furfura (Fitch) -----	3	87
Chionaspis ortholobis Comst. -----	3	110
Chionaspis pinifoliae (Fitch) -----	1	21
	2	63
	4	192
	6	350-351
	8	470

*The note by C. L. Fluke at top of page 257 refers to this insect.

Chionaspis salicis-nigrae Walsh -----	5	279
Chirida guttata (Oliv.) -----	5	259
Chlorochroa ligata (Say) -----	8	333
Chlorochroa sayi Stal -----	3	462
	4	80
	5	128, 147, 152
	6	216, 232
	7	291, 304
	9	370, 372, 378
Chorizagrotis auxiliaris (Grote) -----	3	490
	4	78
	5	142
	6	226
Chrysobothris femorata (Oliv.) -----	1	298
	2	7
	3	55
Chrysomela lapponica (L.) -----	5	86
	6	278-279
Chrysomela scripta (F.) -----	4	353
	5	192
	6	279
Chrysomelidae -----	3	352
	5	111
Chrysomphalus aonidum (L.) -----	1	281
	4	2, 11
	8	167
	9	449
Chrysomphalus bifasciculatus Ferris -----	6	497
Chrysomphalus dictyosperni (Merg.) -----	8	356
	9	449
Chrysomphalus sp. -----	8	497
Chrysomphalus obscurus (Comst.) -----	1	470
	3	10
Chrysomya demissa (F.) -----	1	95
Chrysops flavida Wied. -----	5	34
Chrysops fuliginosa Wied. -----	3	284
	5	117
Chrysops lateralis Wied. -----	8	284
Chrysops spp. -----	4	477
	5	201
	7	284
Chrysops vittata Wied. -----	8	423
Cicadellidae -----	5	477
	8	243
	9	444
Cimex americana Leach -----	4	512
	6	188
Cimex adjunctus Barb. -----	4	346
Cimex lectularius L. -----	1	199
	3	27
	4	115
	8	199
		477

	<u>No.</u>	<u>Page</u>
<i>Cimex pilosellus</i> (Horv.) -----	3	115
	4	199
	6	359
	9	524
<i>Cimara glehna</i> Essig -----	6	352
<i>Cinara strobi</i> Fitch -----	1	21
<i>Cinara taedae</i> Tissot -----	7	413
<i>Cinara tujafilina</i> Del G. -----	4	194
<i>Cingilia catenaria</i> (Drury) -----	9	487
<i>Cirphis unipuncta</i> (Haw.) -----	4	127, 143
	5	227
	6	291, 299
	7	369, 376
	9	486
<i>Clytoleptus albofasciatus</i> (Lap.) -----	3	94
	8	447
<i>Cnemidocoptes gallinae</i> Raill. -----	2	69
	4	202
<i>Cnephasia longana</i> (Haw.) -----	3	98
	4	178
	6	300
<i>Coccus hesperidum</i> L. -----	1	24
	9	497
<i>Coccus pseudomagnoliarum</i> (Kuw.) -----	5	248
<i>Cochliomyia americana</i> C. & P. -----	1	29
	3	116
	4	200
	5	286
	6	360
	7	422
	8	478
	9	517-518
	10	586-587
<i>Cochliomyia macellaria</i> (F.) -----	1	29
	4	200, 201
	9	519
<i>Colaspis brunnea</i> (F.) -----	5	214, 236, 256
	6	291, 303
<i>Coleophora laricella</i> Hbn. -----	4	189
	6	347
	7	409
	9	509
<i>Coleophora malivorella</i> Riley -----	3	89
	4	158
	6	313
<i>Coleophora salmani</i> Heinr. -----	7	407
	9	507

	<u>No.</u>	<u>Page</u>
Colias eurytheme (Bdv.) -----	1	5
	2	53
	3	84
	5	238
	6	309
	7	370, 382
	8	441
	9	493
Collembola -----	4	208
	5	261
Colopha ulmicola (Fitch) -----	5	274
Compsus auricephalus Say -----	4	171
	5	263
	7	400
Coninomus constrictus Gyll. -----	7	426
Conoderus auritus Hbst. -----	5	231
Conoderus sp. -----	5	231
Conophthorus coniperda (Schwarz) -----	9	511
Conopia exitiosa (Say) -----	1	9
	2	55
	3	92
	4	161
	5	244
	8	445-446
	9	496
Conopia pictipes (G. & R.) -----	7	387
Conopia pyri (Harr.) -----	5	241
Conopia rhododendri (Beutm.) -----	4	197
Conotrachelus affinis Boh. -----	7	390
	8	448
Conotrachelus juglandis Lec. -----	8	471
Conotrachelus nemuphar (Hbst.) -----	1	9
	2	41, 55
	3	74, 90-91
	4	129, 161-162
	5	214, 244-245
	6	314-315
	7	370, 387-388
	8	433, 446
	10	567
Contarinia juniperina Felt -----	4	196
Contarinia pyrivora (Riley) -----	4	163
Contarinia virginianiae Felt -----	5	272
Coptocycla sp. -----	6	333
Corthylus punctatissimus (Zimm.) -----	3	112
Corticaria serrata Payk. -----	4	207
Coryphista meadii Pack. -----	6	354
Corythucha arcuata (Say) -----	6	349
	7	411

	<u>No.</u>	<u>Page</u>
<i>Corythucha cydoniae</i> Fitch -----	6	310-311
	7	419
	8	474
<i>Corythucha marmorata</i> (Uh1.) -----	6	355
	7	418
<i>Cossonus corticola</i> Say -----	9	511
<i>Cossula magnifica</i> (Stkr.) -----	6	318
<i>Cotalpa lanigera</i> (L.) -----	6	317
<i>Cotinis nitida</i> (L.) -----	2	60
	4	144
	7	378
	8	436-437
	9	489
<i>Crambus caliginosellus</i> Clem. -----	5	261
	10	573
<i>Crambus</i> spp. -----	4	153
<i>Craonius inaequalis</i> (Say) -----	8	448
<i>Crematogaster ashmeadi</i> Mayr -----	7	425
<i>Crematogaster laeviuscula clara</i> Mayr -----	6	363
<i>Crematogaster</i> spp. -----	9	521
<i>Cremona cotoneastri</i> Busck -----	3	111
<i>Crioceris asparagi</i> (L.) -----	2	58
	3	102
	4	176
	5	256, 257
	6	331
	7	396
	8	456
<i>Crioceris duodecimpunctata</i> (L.) -----	4	176
	5	256, 257
	6	331
	7	396
<i>Crociosema plebiana</i> Zell. -----	4	181
<i>Cryptophyllaspis liquidambaris</i> Kot. -----	5	278
<i>Cryptococcus fagi</i> (Baer.) -----	9	485, 507
	10	585
<i>Cryptohypnus abbreviatus</i> (Say) -----	5	231
<i>Ctenocephalides felis</i> (Bouche) -----	1	27
	7	421
	8	476
<i>Ctenocephalides</i> spp. -----	6	359
<i>Culox pipiens</i> L. -----	4	198
<i>Culex quinquefasciatus</i> Say -----	4	198
<i>Culicinae</i> -----	1	28
	2	68
	4	198
	5	284
	6	358
	7	420-421
	8	476
<i>Culicoides biguttatus</i> (Coq.) -----	4	199

	<u>No.</u>	<u>Page</u>
Culicioides canithorax Hoffm. -----	10	589
Culicoides furens Poey -----	1	28
	3	115
	8	476
	10	589
Culicoides melleus (Coq.) -----	3	115
	9	517
Culicoides mississippiensis Hoffm. -----	4	199
Culicoides obsoletus (Meig.) -----	6	359
Culicoides spp. -----	3	115
	4	199
Curculio caryae (Horn) -----	1	10
	6	318
	7	390
	8	448
Curculionidae -----	4	177
	9	522
Cyclocephala borealis Arrow -----	9	491
Cyclocephala immaculata Oliv. -----	3	79
Cylas formicarius (F.) -----	2	42, 60
	7	397
	9	503
	10	571
Cyllene caryae Gahan -----	4	187
Cyllene robiniae (Forst.) -----	3	108
	4	189
	7	410
Cynaesus angustus (Lec.) -----	1	33
	3	125
	5	289
Cynips frondosa Bass. -----	9	510
Danaus menippe (Hbn.) -----	9	490
Dasyneura gleditsiae O. S. -----	6	348
Dasyneura pyri Bouche -----	5	245
	6	316
Dasyneura rhodophaga (Coq.) -----	7	420
Datana integerrima G. & R. -----	6	352
	7	415
	8	470
	9	497
Datana ministra (Drury) -----	7	415
Dendroctonus brevicornis Lec. -----	4	191
	10	580-581
Dendroctonus englemanni Hopk. -----	10	582
Dendroctonus frontalis Zimm. -----	3	109
Dendroctonus jeffreyi Hopk. -----	10	582
Dendroctonus monticolae Hopk. -----	10	580
Dendroctonus obesus (Mann.) -----	1	22
Dendroctonus piceaperda Hopk. -----	8	470
Dendroctonus ponderosae Hopk. -----	10	581-582
Dendroctonus pseudotsugae Hopk. -----	10	581

	<u>No.</u>	<u>Page</u>
Dendroctonus simplex Lec. -----	6	352
Dendroctonus valens Lec. -----	5	279
Dermacentor andersoni Stiles -----	3	116
	5	217
	6	360
	10	590
Dermacentor nigrolineatus (Pack.) -----	1	29
	9	520
	10	590
Dermacentor variabilis (Say) -----	1	30
	2	42, 68
	3	116
	4	200
	5	285
	7	422
	8	477
	9	517
	10	590
Dermanyssus gallinae (Dog.) -----	1	29
	5	286
	8	480
Dermestes cadaverinus F. -----	7	426
Dermestes lardarius L. -----	3	123
	4	207
	6	367
Dermestes vulpinus F. -----	6	367
Dermestidae -----	2	71
Derocrepis erythropus (Melsh.) -----	4	162
Desmia funeralis (Hbn.) -----	3	94
	5	247
	6	317
	7	389
	8	447
Diabrotica balteata Lec. -----	1	2, 12
	2	58
	3	98
	8	451, 456
	9	499
Diabrotica duodecimpunctata (F.) -----	1	12
	2	58
	3	98
	4	150, 168
	5	256
	6	321, 322
	7	393
	9	499
Diabrotica longicornis (Say) -----	6	308
	7	381
	8	441

	<u>No.</u>	<u>Page</u>
Diabrotica soror Lec. -----	1	3
	3	98
	4	151
	5	239
	6	322
Diabrotica spp. -----	9	485
Diabrotica trivittata (Mann.) -----	6	322
	9	499
Diabrotica vittata (F.) -----	3	98
	4	168
	5	256
	6	321, 322
	7	392
	8	451
	9	499
Dialeurodes citri (Ashm.) -----	1	2, 11
	2	65
	3	113
	4	166
	8	449
	9	498
Dialeurodes citrifolii (Morg.) -----	4	166
	9	498
Dialeurodes spp. -----	8	471
Diaphania hyalinata (L.) -----	9	502
Diaphania nitidalis (Stoll) -----	5	257-258
	6	330
Diapheromera femorata (Say) -----	8	433, 465
Diaspis carueli Targ. -----	1	26
	4	196
	7	419
	9	515
Diaspis echinocacti (Bouche) -----	1	25
Diatraea crambidoides (Grote) -----	8	439
Diatraea grandiosella Dyar -----	8	440
Diatraea saccharalis (F.) -----	1	1, 6
	3	73, 85
	7	383
	8	442
	10	565
Dichomeris ligulella Hbn. -----	4	195
Dichomeris marginellus (F.) -----	4	196
	5	282
	9	515
Dicyphus minimus Uhl. -----	9	501
Dilachnus pseudotsugae Wilson -----	4	189
Dilachnus thujafilina Del G. -----	2	65
Dione vanillae L. -----	8	438
Dioryctria zimmermani Grote -----	7	413

	<u>No.</u>	<u>Page</u>
Diorynerellus laevinargo Champ. -----	7	419
	9	515
Diploiulus luscus Meinert -----	1	25
Diplotaxis frondicola Say -----	4	198
Diprion polytomum (Htg.). <u>See</u> Gilpinia.		
Diprion simile (Htg.) -----	9	510
Dissosteira carolina (L.) -----	5	223
	7	374
Dissosteira longipennis (Thos.) -----	3	76
	4	127, 130-132
	5	219, 220
	6	294
	7	369
	10	560
Drepanaphis acerifoliae (Thos.) -----	7	410
Dreyfusia piceae Ratz. -----	9	508
Dryophthorus americanus Bedel -----	3	125
Dysdercus suturellus (H. S.) -----	7	403
Dyslobus decoratus (Lec.) -----	3	104
Dyslobus granicollis (Lec.) -----	3	104
Dyslobus ursinus (Horn) -----	3	104
Earias insulana Boisd. -----	9	505
Eburia quadrigeminata (Say) -----	3	125
	6	365
Ecdytolopha insiticiiana Zell. -----	8	467
	9	509
Echidnophaga gallinacea (Westw.) -----	9	520
Ectoedonia populolla Busck -----	9	512
Elateridae -----	3	79
	4	128, 145-146
	5	213, 215, 216, 231-232
	6	303-304
	9	469
Elasnopalpus lignosellus (Zell.) -----	8	454
Eleodes opaca (Say) -----	3	81
Eleodes spp. -----	3	73, 81, 100
	9	491
Ellopiia athasaria Walk. -----	9	508
Ellopiia pellucidaria G. & R. -----	3	109
	4	190
Empoasca fabae (Harr.) -----	5	252
	6	324-325
	7	392
	8	453
	9	500
	10	591*

*

Empoasca cucumis should read E. fabae.

	<u>No.</u>	<u>Page</u>
Empoasca filamenta DeL. -----	6	325
	10	591
Empoasca solana DeL. -----	1	13
Empria fragariae Roh. -----	5	260
Empria spp. -----	5	260
Enchenopa binotata (Say) -----	8	464
Engytatus geniculatus Reut. -----	1	12
Ennomos subsignarius (Hbn.) -----	4	186
	6	344
	9	509
Entomoscolis adonidis (Pallas) -----	7	396
Ephestia cautella (Walk.) -----	3	123
	4	208
	7	426
	9	522
Ephestia elutella (Hbn.) -----	3	123
	7	426
	9	522
Ephestia figulilella Grog. -----	3	97
	7	390
Ephestia kuehniella Zell. -----	9 (Sup.)	534, 535
Epicaerus imbricatus (Say) -----	5	231
Epicauta cinerea (Forst.) -----	5	249
	6	320, 321
	7	391
Epicauta lemniscata F. -----	5	249
	6	320
	7	391, 392
	8	451
	9	498
Epicauta maculata (Say) -----	6	321
	7	391
Epicauta marginata (F.) -----	8	451
	9	498
Epicauta pardalis Lec. -----	5	249
Epicauta pennsylvanica (Dog.) -----	5	249
	6	320
	7	392
	8	451
	9	498
Epicauta spp. -----	6	321
Epicauta trichrus (Pallas) -----	7	391
Epicauta vittata (F.) -----	5	249
	6	320
	8	451
Epicnaptera americana (Harr.) -----	3	444
Epilachna borealis (F.) -----	4	176
Epilachna varivestis Muls. -----	1	14
	3	74, 100
	4	129, 172
	5	215, 253-254

	No.	Page
Epilachna varivestis Muls. (Continued) -----	6	325-326
	7	393-394
	8	434, 453
	9	486, 501
	10	569
Epinotia nanana Treit. -----	4	193
Epitrix cucumeris (Harr.) -----	4	169
	5	216, 251
	6	292, 323
	7	393
	8	434, 452
	9	499
	10	574
Epitrix fuscula Crotch -----	8	452
Epitrix parvula (F.) -----	2	60
	4	179
	5	260
	6	335
	7	398
	8	452, 457
	10	573-574
Epitrix spp. -----	5	251
	6	323-324
Epitrix subcrinita Lec. -----	2	59
	5	251
	8	453
Epizeuxis aemula Hbn. -----	4	208
Epochra canadensis Loew -----	6	317
Eriocampoides amygdalina Roh. -----	7	388
Eriococcus azaleae Const. -----	2	67
	3	114
	4	195
	7	417
	8	472
	9	513
Eriophyes caryae Keifer -----	6	318
Eriophyes ceanothi Keifer -----	1	19
Eriophyes eucricotes Nal. -----	7	417
Eriophyes fraxiniflora Felt -----	4	187
	7	406
Eriophyes pyri Pgst. -----	2	56
	6	315
	7	338
	9	497
Eriosoma americanum (Riley) -----	4	188
	5	273
	6	347
Eriosoma lanigerum (Hausm.) -----	3	90
	5	273
	6	313

	<u>No.</u>	<u>Page</u>
<i>Erythroneura comes</i> (Say) -----	2	56
	5	247
	6	292, 318
	8	448
<i>Erythroneura comes ziczac</i> Walsh -----	3	95
<i>Erythroneura elegantula</i> Osb. -----	8	448
<i>Erythroneura</i> spp. -----	3	95
	4	165
	7	386
<i>Estigmene acraea</i> (Drury) -----	3	84
	4	181
	5	264
	6	301
	7	402
<i>Euceraphis betulae</i> (Koch) -----	8	465
<i>Eudiagogus rosenschoeldi</i> Fahraeus -----	9	485, 489
<i>Euctheola rugiceps</i> (Lec.) -----	3	85
	4	153
	5	230
<i>Eulophus viridulus</i> Thoms. -----	9 (Sup.)	526, 530, 531
<i>Eupalopsis mali</i> Ewing -----	1	9-10
<i>Euphoria inda</i> (L.) -----	8	437
<i>Euphoria sepulchralis</i> (F.) -----	3	79
<i>Eurycephalomyia myopaeformis</i> Roeder -----	4	179
<i>Euryophthalmus succinctus</i> (L.) -----	2	64
<i>Euschausia argentata</i> Pack. -----	4	190
<i>Euschistus impictiventris</i> Stal -----	4	152
<i>Euschistus servus</i> (Say) -----	7	398
<i>Euschistus tristigmus</i> (Say) -----	7	398
<i>Euschistus variolarius</i> (Beauv.) -----	7	380
<i>Eusimulium pecuarum</i> (Riley) -----	4	201
<i>Eutettix tenellus</i> (Bak.) -----	5	252
	6	292, 334
	7	398
	8	457
	9	504
	10	568-569
<i>Eutombicula alfreddugesi</i> (Oud.) -----	3	115
	4	200
	5	284
	6	360
	7	421
	8	477
<i>Euxoa messoria</i> (Harr.) -----	2	50
<i>Euzophera ostricorella</i> Hulst -----	6	351
	9	511
<i>Evergestis rimosalis</i> (Guén.) -----	9	502
<i>Evora hemidesma</i> Zell. -----	7	420
<i>Exechia</i> sp. -----	4	179
<i>Exoteleia pinifoliella</i> Chamb. -----	5	276

	<u>No.</u>	<u>Page</u>
<i>Feltia annexa</i> (Treit.) -----	2	50
<i>Feltia malefida</i> (Guon.) -----	3	77
<i>Feltia</i> sp. -----	6	298
<i>Fenusa dohrnii</i> (Tishbein) -----	7	406
<i>Fenusa punila</i> Klug. <u>Sec</u> <i>Fenusa pusilla</i> (Lep.).		
<i>Fenusa pusilla</i> (Lep.) -----	5	272
	7	407
	8	465
<i>Fidia longipes</i> Melsh. -----	6	317
<i>Forficula auricularia</i> L. -----	1	3
	2	51
	3	77
	5	217
	6	304
	7	369, 375
	8	436
	9	485, 488
<i>Formica cinerea neocinerea</i> Whlr. -----	6	363
<i>Formica exsectoides</i> Forel -----	3	120
	5	287
<i>Formica fusca</i> L. -----	5	287
	6	363
	7	424
<i>Formica truncicola integra</i> Nyl. -----	6	362
<i>Formicidae</i> -----	3	120
	4	202-203
	5	287-288
	6	362-363
<i>Frankliniella fusca</i> (Hinds) -----	1	25
	2	58
	5	260
	7	398
	10	575
<i>Frankliniella moultoni</i> Hood -----	4	152
<i>Frankliniella occidentalis</i> (Perg.) -----	4	152, 155
<i>Frankliniella tabaci</i> Fitch -----	7	421
<i>Frankliniella tritici</i> (Fitch) -----	1	23
	2	58-59
	3	96
<i>Galerucella xanthomelaena</i> (Schr.) -----	3	108
	4	188
	5	272-273
	6	293, 345-346
	7	371, 407-408
	8	466
<i>Gasterophilus haemorrhoidalis</i> (L.) -----	2	70
	3	118
<i>Gasterophilus intestinalis</i> (Dog.) -----	3	118
	9	520
<i>Geocoris bullatus</i> (Say) -----	8	471

	<u>No.</u>	<u>Page</u>
<i>Goodercoodes latipennis</i> Csy. -----	3	104
<i>Geometridae</i> -----	3	75, 106-107
	4	129, 185-186
	5	215, 270-271
<i>Geshna cannalis</i> Quaint. -----	7	418
<i>Giardomyia rhododendri</i> Felt -----	2	67
	5	283
<i>Gibbium psylloides</i> (Czemp.) -----	4	204
	7	427
<i>Gilpinia frutetorum</i> (F.) -----	7	412
	10	583
<i>Gilpinia polytomum</i> (Htg.) -----	4	193
	5	278
	7	373, 414
	8	470
	9	487, 512
	10	583
<i>Glycobius speciosus</i> (Say) -----	3	109
<i>Gnathocerus cornutus</i> (F.) -----	1	34
	4	207
<i>Gnophothrips piniphilus</i> Crawford. -----	7	413
<i>Gnorimoschoma operculella</i> (Zell.) -----	8	452
<i>Goes pulverulentus</i> (Hald.) -----	3	108
<i>Gossyparia spuria</i> (Mod.) -----	1	20
	3	108
	4	188-189
	5	274
	6	347
	7	408
	8	466
	9	508
<i>Gracilaria azaleella</i> Brants -----	3	114
<i>Gracilaria syringella</i> F. -----	7	419
<i>Graphiphora c-nigrum</i> (L.) -----	4	141
<i>Graphisurus</i> sp. -----	5	279
<i>Grapholitha molesta</i> (Busck) -----	1	9
	3	74, 91
	4	129, 160-161
	5	214, 243
	6	315
	7	373, 387
	8	445
	9	496
	10	568
<i>Graptolitha antennata</i> (Walk.) -----	4	158
<i>Gryllidae</i> -----	2	59
	8	481
<i>Gryllus assimilis</i> F. -----	3	121
	6	367
	7	375
	8	481
	9	486

	<u>No.</u>	<u>Page</u>
Gryllus domesticus L. -----	4	204
	6	367
	7	425
Hadrobregmus carinatus (Say) -----	4	206
	7	427
Haematobia irritans L. -----	2	69
	3	116-117
	4	200
	5	285
	6	360-361
	7	423
	8	479
	9	518
	10	588
Haematopinus eurysternus Nitz. -----	1	29
	3	117
	6	362
	10	590
Halisidota caryae (Harr.) -----	7	405
Halisidota tessellaris (A. & S.) -----	4	186
	8	464
Halticinae -----	3	98
	4	169
Halticus citri (Ashm.) -----	1	13
	7	392
	9	501
Hamadryas antiopa (L.) -----	5	273
	6	346
	7	408
	8	466
Hamamelistes spinosus Shim. -----	5	272
Harmolita grandis (Riley) -----	7	379
Harmolita tritici (Fitch) -----	4	149
	6	305
Heliothis armigera (Hbn.) -----	1	4-5
	2	66
	3	82
	4	149, 171, 181, 193
	5	234-235, 251, 263, 278
	6	292, 324, 331-332, 338
	7	371, 401-402
	8	433, 434, 438-439, 452
		460
	9	485, 492, 500
	10	569-570
Heliothis virescens (F.) -----	5	261, 278
	6	335
	9	499
	10	573

	<u>No.</u>	<u>Page</u>
Hellula undalis (F.) -----	7	395
	8	455
	9	502
Hemerocampa leucostigma (A. & S.) -----	2	63
	6	344
	7	405
Hemerocampa pseudotsugae McD. -----	5	278
	10	582
Hemerocampa sp. -----	5	278
Hemerocampa vetusta (Bdv.) -----	5	278
	6	344
Hemiptera -----	6	309-310
Hemitarsonemus latus Banks -----	4	195
Hercinothrips femoralis (Reut.) -----	1	16
	2	58
Hercothrips fasciatus (Perg.) -----	7	395
Horse cingulata (F.) -----	9	503
Heterocampa guttivitta (Walk.) -----	7	371, 404-405
	8	464
	10	585
Heterospilus sp. -----	7	427
Heterothrips azaleae Hood -----	6	355
Hoxarthrum ulkei Horn -----	3	125
	6	365
Hippelates pallipes Loew -----	8	477
Hippelates spp. -----	2	68
Hippiscus corallipes Hald. -----	2	49
	3	77
	4	133
Hippodamia convergens Guer. -----	1	34
Homaledra sabalella Chamb. -----	1	26
	3	109
Homoeosoma electellum Hulst. -----	7	416
Horistonotus uhlerii Horn -----	5	231
	6	303
Hyalopterus arundinis (F.) -----	4	164
Hylastinus obscurus (Marsham) -----	4	151
	5	214, 237
Hylemya antiqua (Meig.) -----	3	103
	4	177
	5	217, 258
Hylemya brassicae (Bouche) -----	3	98
	4	175
	5	217, 255
	6	329
Hylemya cilicrura (Rond.) -----	1	1, 16
	2	52
	3	74, 98-99
	4	169
	5	214, 249-250, 261, 264

	<u>No.</u>	<u>Page</u>
Hylobius pales (Hbst.) -----	2	63
	4	191
	6	350
	7	412
	9	509
Hylobius radialis Buch. -----	1	21
	4	191
	5	277
Hylotrupes bajulus (L.) -----	4	206
	6	365
Hylurgopinus rufipes (Eich.) -----	6	346
Hylurgops pinifex (Fitch) -----	5	280
Hymenarcys nervosa (Say) -----	5	252
Hypera brunneipennis (Boh.) -----	3	83
	4	151
	10	565
Hypera postica (Gyll.) -----	1	1,5
	2	52-53
	3	73, 82-83
	4	150
	5	214, 237
	6	309
	7	381-382
	7 (Sup.)	429-431
	8	441
	9	493
Hypera punctata (F.) -----	2	53
	3	83
	4	151
	5	237
Hypermallus villosus (F.) -----	6	349
	7	411
	8	468
Hyphantria cunea (Drury) -----	4	165
	5	214, 247, 271
	7	371, 373, 404
	8	434, 463
	9	506
Hyphantria spp. -----	6	293, 342
	7	371, 404
Hyphantria textor Harr. -----	7	404
Hypoderma lineatum (De Vill.) -----	2	69
	3	117
	8	479
	10	588-589
Hypoderma spp. -----	4	201
	9	519
Hyposoter exiguae Vier. -----	1	5
Hysteroneura setariae (Thos.) -----	4	163
	6	316

	<u>No.</u>	<u>Page</u>
<i>Icerya purchasi</i> Mask. -----	1	24
	2	64
	3	96, 113
	4	167
	5	280
	7	417
	8	472
	9	497, 513
<i>Ichoronyssus spiniger</i> Ewing & Stov. -----	1	30
<i>Ichthyura inclusa</i> Hbn. -----	6	351
<i>Idechthis canescens</i> Grav. -----	7	390
<i>Illinoia pisi</i> (Kltb.). <u>See</u> <i>Macrosiphum pisi</i> .		
<i>Inareolata punctoria</i> Roman. -----	9 (Sup.)	528, 530, 531
		532
	9 (Sup.)	535
<i>Ips avulsus</i> (Eich.) -----	1	21
<i>Ips calligraphus</i> (Germ.) -----	1	21
	5	279
<i>Ips grandicollis</i> (Eich.) -----	5	280
<i>Ips oregoni</i> (Eich.) -----	10	582
<i>Ips pini</i> (Say) -----	1	21
	5	279
<i>Iridomyrmex analis</i> Andre -----	6	362
<i>Iridomyrmex humilis</i> Mayr -----	1	31
	2	71
	3	120
	6	362
	7	424
	8	481
	9	521
<i>Ischnorhynchus resodae</i> Panz. -----	9	507
<i>Isoptera</i> -----	2	42, 70-71
	3	119
	4	202
	5	286-287
	6	362
	7	424
	8	480
	9	520-521
<i>Ixodes californicus</i> Banks -----	1	30
<i>Jalysus spinosus</i> (Say) -----	8	471
<i>Janus integer</i> (Nort.) -----	1	22
<i>Kalotermes minor</i> Hagen -----	2	71
<i>Kalotermes snyderi</i> Light -----	7	424
<i>Koiforia lycopersicella</i> (Busck) -----	1	13
	3	99-100
	4	171
	8	452
	9	485, 500

	<u>No.</u>	<u>Page</u>
Kermes pubescens Bogue -----	9	510
Kermes sp. -----	2	63
Labrorychus prismaticus Morton -----	9 (Sup.)	528, 531
Lachesilla pedicularia L. -----	8	482
Lacmophloeus minutus Oliv. -----	3	124
Laetilia coccidivora Comst. -----	2	64
Laphygna exigua (Hbn.) -----	1	13
	2	50
	5	263
Laphygna frugiperda (A. & S.) -----	5	227
	6	291, 299-300
	7	376
	8	433, 437
	9	489
Lasioderma scorricorne (F.) -----	1	32
	3	123
	4	207
	7	427
Lasius interjectus Mayr -----	2	71
	4	203
	5	287
	9	521
Lasius sp. -----	5	266
Lasius umbratus mixtus aphidicola Walsh -----	6	363
Laspeyresia caryana (Fitch) -----	1	10
	2	56
	3	95
	7	389
	8	448
	9	497
Laspeyresia nigricana (Steph.) -----	6	328
	8	454
Laspeyresia sp. -----	4	195
Latrodectus noctans (F.) -----	1	28
	3	116
	7	422
	8	477
Lecanium cerasorum Ckll. -----	4	189
Lecanium corni Bouche -----	3	87
	7	417
	8	464, 472
Lecanium coryli L. -----	4	155
Lecanium prunastri (Fonsc.) -----	5	246
Leis dimidiata quinquespilota Hope -----	2	41, 57
	3	96
Lema sexpunctata albina Lac. -----	7	416
Lema trilineata (Oliv.) -----	6	354
Leperisinus aculeatus (Say) -----	7	427
Lepidosaphes beckii (Nown.) -----	1	11
	6	319
	8	450
	9	497

	<u>No.</u>	<u>Page</u>
Lepidosaphes camelliae Hoke -----	2	65
	3	114
Lepidosaphes ficus (Sign.) -----	1	11
	2	57
Lepidosaphes ulmi (L.) -----	1	24
	3	113
	4	197
	5	282-283
	6	354-355
	7	416-417
	8	472
Lepidoptera -----	1	12
Lepisma saccharina L. -----	3	122
Leptinotarsa decemlineata (Say) -----	2	59
	3	99
	4	129, 170
	5	216, 250-251
	6	323
	7	393
Leptocoris trivittatus (Say) -----	1	28
	2	68-69
	3	121-122
	4	204-205
	8	465-466
	9	507-508
Leptogenys elongata Buckl. -----	4	203
Leptoglossus phyllopus (L.) -----	6	309
Leptomastidea abnormis Gir. -----	2	64
Leucaspis japonica Ckll. -----	1	20
Leucopocila albofasciata Reut. -----	7	403
Leucopocila sp. -----	7	403
Ligyris gibbosus (Deg.) -----	5	230
	6	322
	9	485, 503
Limenius agonus Say -----	4	145
	5	231
	9	489
Limenius californicus (Mann.) -----	1	3
	2	51
	3	79
	4	128, 146
	5	232
	6	304
Limenius canus Lec. -----	2	50
	4	146
Linognathus vituli L. -----	3	117
	10	589
Liometopum apiculatum luctuosum Whlr. -----	6	363

	<u>No.</u>	<u>Page</u>
<i>Liothrips floridensis</i> Watson -----	6	345
	7	418
	8	473
	9	514
<i>Liponyssus bacoti</i> (Hirst) -----	1	27
	2	68
	3	75,115-116
	4	200
	5	284
	6	360
	8	477
<i>Liponyssus sylviarum</i> C. & F. -----	3	118
	6	360
<i>Liposcelis</i> sp. -----	7	424
<i>Listroderes obliquus</i> Klug -----	1	12
	2	42,58
	3	97
	4	168
	5	248
	10	574
<i>Listronotus latiusculus</i> (Boh.) -----	7	396
	9	503
<i>Lithocolletis hamadryadella</i> Clem. -----	8	469
<i>Lixus concavus</i> Say -----	6	323
<i>Locustana</i> sp. -----	4	130
<i>Longistigma caryae</i> Harr. -----	1	10
	5	247-248
	6	349
<i>Lopidea davisi</i> Knight -----	6	357
<i>Loxostege commixtalis</i> (Walk.) -----	7	376
<i>Loxostege similalis</i> (Guen.) -----	4	182
	5	228
<i>Loxostege</i> sp. -----	6	300
<i>Loxostege sticticalis</i> (L.) -----	5	213,228
	6	291,300
	7	372,376
<i>Ludius aereipennis</i> (Kby.) -----	4	128,145-146
<i>Ludius pruininus noxius</i> (Hyslop) -----	3	73,79
<i>Luperodes brunneus</i> Crotch -----	6	292,308
<i>Luperodes varicornis</i> Lec. -----	6	308
<i>Lycophotia margaritosa</i> Haw. -----	3	78
	7	372
<i>Lyctocoris campestris</i> (F.) -----	4	206
<i>Lyctus parallelopipedus</i> (Melsh.) -----	4	205
	6	364
<i>Lyctus planicollis</i> Lec. -----	1	33
	2	71
	3	125
	4	205
	5	289
<i>Lyctus</i> spp. -----	2	71
	3	125

	<u>No.</u>	<u>Page</u>
Lyctus spp. (Continued) -----	4	205
	6	364
	8	482
	9	522
Lydella stabulans griseoscens R.-D. -----	9 (Sup.)	527, 528, 529
		530, 531, 532
Lygaeonematus orichsonii (Htg.) -----	5	275
	7	371, 409
	10	584
Lygaeus belfragei Stal -----	5	281
Lygidea mendax Reut. -----	4	159
Lygus clisus Van D. -----	2	51
	3	80
	4	152
	7	382
Lygus clisus hesperus Knight -----	2	51
	3	80
	4	152
	7	382
Lygus pratensis oblineatus (Say) -----	1	17
	3	80, 93
	5	265
	9	493
Lygus spp. -----	3	80
	4	152
Lysiphebus testacipes Cress. -----	1	23
	4	183
Macrobasis fabricii (Lec.) -----	6	320
Macrobasis immaculata (Say) -----	7	391
Macrobasis unicolor (Kby.) -----	5	249
	6	320, 321
	7	391
Macrocentrus gifuensis Ashm. -----	9 (Sup.)	528, 531, 532
		533, 534, 535
		537-538
Macroductylus subspinosus (F.) -----	5	213, 229-230
	6	291, 302
Macronoctua onusta Grote -----	5	282
	7	419
Macropsis trimaculata (Fitch) -----	5	246
Macrosiphoniella sanborni (Gill.) -----	1	23
	2	65
	3	114
	6	355
	7	418
Macrosiphum ambrosiae (Thos.) -----	1	12
	5	281

	<u>No.</u>	<u>Page</u>
Macrosiphum pisi (Kltb.) -----	1	1,6
	2	53
	3	73,83-84
	4	128,151-152,173
	5	254-255
	6	292,327
	7	372,394
	8	454
	9	493
Macrosiphum rosae (L.) -----	1	26
	2	67
	3	112
	5	283
	6	358
Macrosiphum solanifoliae (Ashm.) -----	4	197
	5	252
	6	325
Macrosteles divisus (Uhl.) -----	5	258
	6	331
	9	499
Magdalenia septendecim (L.) -----	4	129,184
	5	267-269
	6	342
	10	576-579
Malacosoma americana (F.) -----	2	54-55
	3	86
	4	128,154-155
	5	239
Malacosoma disstria Hbn. -----	1	8
	3	75,107
	4	184-185
	5	271
	6	343
	7	371,405
	10	584
Malacosoma fragilis (Stretch.) -----	10	584
Malacosoma pluvialis (Dyar) -----	3	86
	4	185
Malacosoma spp. -----	2	55
	3	107
	4	155,185
	10	584
Matsucoccus acalyptus Herbert -----	2	63
Matsucoccus gallicolus Morrison -----	5	277
	9	511
Megalopyge opercularis (A. & S.) -----	9	517
Megilla sp. -----	4	183
Melanocallis caryaefoliae (Davis) -----	4	166
	5	247
	8	449
	9	497

	<u>No.</u>	<u>Page</u>
Melanophila fulvoguttata (Harr.) -----	10	579-580
Melanoplus angustipennis (Dodge) -----	5	223
Melanoplus bivittatus (Say) -----	3	73, 76
	4	127, 131, 134-138
	5	219-224
	6	294, 295, 296
	7	369, 374
	8	435, 436
Melanoplus confusus Scudd. -----	3	76
	4	134, 135, 138
	5	219, 221, 222, 223
	6	295
Melanoplus devastator Scudd. -----	2	49
	4	130
	5	218
	6	294
	8	436
Melanoplus differentialis (Thos.) -----	3	76
	4	127, 131-132, 134-135, 137-138
	5	218, 219, 221-224
	6	294, 295, 297
	7	369, 374
	8	435
	9	488
Melanoplus femur-rubrum (Dug.) -----	4	131
	5	219, 221-224
	6	295, 296, 297
Melanoplus mexicanus (Sauss.) -----	2	49
	3	73, 76
	4	127, 130-138
	5	213, 218-224
	6	294, 295, 296
	7	369, 371, 374
	8	435, 436
	9	488
	10	560-561
Melanoplus occidentalis (Thos.) -----	3	77
	4	132
	5	219, 220
	6	294
Melanoplus packardii Scudd. -----	4	131, 133, 137, 138
	5	219, 221, 223, 224
	6	294, 296
Melanoplus punctulatus (Scudd.) -----	9	488
Melanoplus spp. -----	3	77
	4	130, 133
Melanotus cribulosus (Loc.) -----	5	232
	6	304

	<u>No.</u>	<u>Page</u>
Melanotus fissilis (Say) -----	5	232
Melanotus longulus (Lec.) -----	4	146
Melanotus pilosus Blatch. -----	5	232
Melissopus latiferreanus (Wlsm.) -----	6	319
Melitara dentata Grote -----	4	208
Melittia satyriniformis Hbn. -----	6	330
	7	396
	8	456
Meloidae -----	5	214, 249
	6	292, 320-321
	7	370, 372, 391-392
Melophagus ovinus (L.) -----	8	480
Merium proteus Kby. -----	6	365
Merodon equestris (F.) -----	9	515
Meromyza americana Fitch -----	6	305
Metricia bicolor (F.) -----	5	258
Metricia bivittata (Say) -----	5	259
	6	333
	7	397
	8	457
Mezium americanum Lap. -----	3	124
	4	206
	8	461
Microbracon hebeter (Say) -----	3	123
	7	426
Mindarus abietinus (Koch) -----	5	274
Mineola indigenella (Zell.) -----	3	111
Miris dolobratus (L.) -----	5	238
Monarthropalpus buxi Laboulb. -----	3	114
	4	195
	5	281
	7	417
Monellia caryella (Fitch) -----	5	247
Monellia costalis (Fitch) -----	5	247
Monocesta coryli (Say) -----	7	408
	8	466
Monochamus scutellatus (Say) -----	5	279
	6	364
Monomorium minimum (Buckl.) -----	6	363
	7	425
Monomorium pharaonis (L.) -----	1	31
	6	363
	7	424, 425
	8	480
Mononychus vulpeculus (F.) -----	5	282
Monoptilota pergratialis (Hulst) -----	6	326
Murgantia histrionica (Hahn) -----	3	74, 102
	6	329
	7	395
	8	455
	9	502

	<u>No.</u>	<u>Page</u>
Mycetophilidae -----	1	28
Mycodiplosis alternata Folt -----	1	25
	2	66
	3	111
	8	473
Myzocallis coryli (Goeze) -----	3	95
Myzocallis kahawaluokalani Kirk. -----	5	281
	7	418
Myzocallis tiliae (L.) -----	7	409
	8	467
	9	509
Myzus cerasi (F.) -----	3	93
	6	316
Myzus circumflexus (Buckt.) -----	6	357
Myzus convolvuli (Kltb.) -----	6	357
Myzus persicae (Sulz.) -----	1	16,17,23
	2	65
	3	92,103
Nacerda melanura (L.) -----	3	125
	5	289
	6	364,365
	7	427
Nemapogon granelia (L.) -----	9	523
Nemocestes incomptus Horn -----	3	104
Neoclytus caprea (Say) -----	1	19
Neodiprion abietis (Harr.) -----	6	351
	7	414
	9	512
Neodiprion americanum (Leach) -----	2	63
	4	191
	9	511
Neodiprion lecontei (Fitch) -----	1	21
	4	191
	6	350
	7	412
	8	469
	9	486,510
	10	583-584
Neodiprion pinetum (Nort.) -----	7	412
Neodiprion sertifer (Geoff.) -----	5	277
Neodiprion sp. -----	10	584
Neogastrallus librinocens Fisher -----	3	122
	4	206
	6	366
Neolecanium cornuparvum (Thro) -----	3	112
Neomyzaphis abietina (Walk.) -----	3	110
Nephelodes cuneodonia (Cran.) -----	5	226
Nepticula sericopeza Zell. -----	5	275
Nepytia canosaria var. Walk. -----	10	582

	<u>No.</u>	<u>Page</u>
Neuroterus saltatorius Hy. Edw. -----	6	349
Nezara viridula (L.) -----	5	260
	6	309
	8	454
Noctuella rufofascialis (Steph.) -----	4	181
Noctuidae -----	1	3
	2	41, 50
	3	77-78
	4	127, 141-142
	5	213, 215, 226-227
	6	291, 298-299
	7	369, 375
Nodonota puncticollis (Say) -----	5	241-242, 283
	6	357
	7	415
Nygma phaeorrhoea (Donov.) -----	5	271
	10	586
Nysius ericae (Schill.) -----	3	80
	6	306
Oberea bimaculata (Oliv.) -----	6	316
	7	388
Oberea tripunctata (Swed.) -----	3	91
	6	356
	8	473
Odonaspis penicillata Green -----	7	417
Oecanthus niveus (Deg.) -----	1	19
	3	94
Oedaleonotus enigma (Scudd.) -----	2	49
	4	130
	5	218
	8	436
Oestris ovis L. -----	3	118
	4	201
Oligarces ulmi Felt -----	6	347
Oncideres cingulatus (Say) -----	9	506
Oncocnemis punctilinea Hampson -----	3	107
Oniscidae -----	1	14
	3	99
Ophionyssus sp. -----	3	124
Ormenis pruinosa (Say) -----	6	354
Ornithodoros megnini Duges -----	7	423
	10	591
Orthaea basalis (Dall.) -----	1	13
Orthocladus nigrinus Mall. -----	5	261
Orthotomicus caelatus (Eich.) -----	5	280
Oryzaephilus surinamensis (L.) -----	1	34
	3	124
	4	208
Oxidus gracilis Koch -----	1	25

	<u>No.</u>	<u>Page</u>
<i>Pachylobius picivorus</i> (Germ.) -----	5	282
<i>Pachypsylla celtidis-mamma</i> Riley -----	4	189
	8	467
	9	508
<i>Palorus ratzeburgi</i> Wissm. -----	8	482
<i>Paleacrita vernata</i> (Peck) -----	1	19
	2	42, 62-63
	3	106
	4	185-186
	5	270-271
	8	463
<i>Panscopus costatus</i> Buch. -----	3	104
<i>Pantomorus godmani</i> (Crotch) -----	1	1, 3
	7	378
<i>Pantomorus leucoloma</i> (Boh.) -----	4	146
	10	564
<i>Pantomorus peregrinus</i> Buch. -----	10	564
<i>Panzeria penitalis</i> Coq. -----	9 (Sup.)	527, 531
<i>Papaipema nebris nitela</i> (Guen.) -----	5	235
	6	307, 335
	7	416
<i>Papaipema purpurifascia</i> (G. & R.) -----	7	418
<i>Papilio cresphontes</i> Cram. -----	9	498
<i>Paraclemensia acerifoliella</i> (Fitch) -----	7	410
<i>Parasetigena silvestris</i> R.-D. -----	10	585
<i>Paratetranychus citri</i> McG. -----	3	96
	4	167
	9	498
<i>Paratetranychus ilicis</i> McG. -----	4	195
<i>Paratetranychus pilosus</i> (C. & F.) -----	1	2, 8
	3	74, 90
	4	159-160
	6	292, 314
	7	370, 386
	9	496
<i>Paratetranychus uniunguis</i> Jacobi -----	4	193
	6	352
<i>Paratrechina longicornis</i> (Latr.) -----	1	31
<i>Paratrioza cockerelli</i> (Sulc) -----	1	2, 13
	4	171
	5	252
	6	325
	9	501
<i>Parcoblatta pennsylvanica</i> (Deg.) -----	5	288
<i>Parcoblatta</i> sp. -----	3	121
<i>Parharmonia pini</i> Kellicott -----	8	469
<i>Parlatoria chinensis</i> Marlatt -----	5	280
	10	565-566
<i>Parlatoria oleae</i> (Colv.) -----	3	113
<i>Parlatoria proteus</i> Curt. -----	4	194

	<u>No.</u>	<u>Page</u>
Paromius longulus (Dall.) -----	1	13
Paurocephala ilicis (Ashm.) -----	2	65
	5	284
Pectinophora gossypiella (Saund.) -----	2	61
	3	105
	4	181
	5	263
	6	339
	7	402
	8	459-460
	9	504-505
Pediculus humanus corporis Deg. -----	1	28
Pediculus humanus humanus L. -----	4	199
Pemphigus populicaulis Fitch -----	9	511
Pemphigus populitransversus Riley -----	9	511
Pepsis sp. -----	6	311
Peregrinus maidis (Ashm.) -----	1	1,5
	8	441
Peranabrus scabricollis (Thos.) -----	4	140
Pergandeidia trirhoda Walk. -----	6	356
Peridroma margaritosa (Haw.) -----	1	3
	2	50
	4	127, 142
	5	226, 227
	6	299
	8	437
Periphyllus lyropictus (Kess.) -----	5	275
	9	509
Periphyllus negundinis (Thos.) -----	4	188
	6	345
Periplaneta americana (L.) -----	4	204
Peritelinus or-gonis Van D. -----	5	239
Peronca variana (Fern.) -----	9	512
Petrova comstockiana (Fern.) -----	6	350
Phaedon aeruginosus Suffr. -----	4	176
Phasnidae -----	9	506
Phenacoccus aceris Sign. -----	7	384
Phenacoccus artemisiae Ehrh. -----	8	471
Phenacoccus gossypii Towns. & Ckll. -----	4	194
	9	513
Philaenus leucophthalmus (L.) -----	3	104
	4	178
Phlebotomus diabolicus Hall -----	6	359
Phlepsius ishidae (Mats.) -----	7	384
Phloeosinus cristatus (Lec.) -----	9	515
Phloeosinus sp. -----	3	108
Pholus achemon (Drury) -----	9	515
Phormia regina (Meig.) -----	3	118
	1	201
Phorocera sp. -----	4	191
Phorodon humuli (Schr.) -----	6	334

	<u>No.</u>	<u>Page</u>
Phyllocnistis populiella Charb. -----	6	351
Phyllocoptes oleivorus Ashm. -----	4	167
	6	319
	8	450
	9	498
Phyllocoptes quadripes Shim. -----	4	190
	5	275-276
	6	348
	7	411
Phyllocoptes sp. -----	8	453
Phyllophaga bipartita Horn -----	4	143
Phyllophaga cribrosa Lec. -----	5	229
Phyllophaga fervida (F.) -----	4	143
Phyllophaga fraterna Burn. -----	4	143
Phyllophaga fusca (Froel.) -----	4	143, 144
	5	228
	9 (Sup.)	539-541
Phyllophaga hirticula (Knoch) -----	3	79
	4	143
	5	228
	9 (Sup.)	539-540
Phyllophaga ilicis (Knoch) -----	9 (Sup.)	540, 541
Phyllophaga implicita Horn -----	4	144
	9 (Sup.)	540-541
Phyllophaga lanceolata (Say) -----	4	144
	5	229
Phyllophaga rugosa (Molsh.) -----	9 (Sup.)	539, 540, 541
Phyllophaga spp. -----	3	73, 78-79
	4	127, 143-144
	5	216, 228-229
	6	301
	9	489
	10	539-541
Phyllophaga submucida Lec. -----	5	229
Phyllophaga tristis (F.) -----	3	78
	5	228
	9 (Sup.)	539
Phyllotoma nemorata Fall. -----	7	407
Phyllotreta pusilla Horn -----	9	503
Phyllotreta vittata (F.) -----	1	17
	6	309
	8	451
Phyllotreta vittata discodens Weise -----	8	452
Phylloxera caryaecaulis Fitch -----	5	274
	6	347
	7	409
Phylloxera conica Shim. -----	4	165
Phylloxera devastatrix Perg. -----	4	165
	5	247
	6	318

	<u>No.</u>	<u>Page</u>
Phylloxera spp. -----	4	165
Phylloxera vitifoliae (Fitch) -----	7	389
Phymatodes amoenus (Say) -----	3	94
Phymatodes dimidiatus (Kby.) -----	6	365
Phymatodes testaceus variabilis (L.) -----	7	427
Physokermes piceae Schr. -----	1	21
	6	351
Phytomyza ilicis Curt. -----	4	196
Phytomyza minuscula Gour. -----	4	195
	6	355
Phytophaga destructor (Say) -----	1	1,4
	2	51
	3	81
	4	149
	6	291,304
	8	433,438
	8 (Sup.)	483-484
	9	491
	10	563-564
Pieris rapae (L.) -----	1	2,14
	3	101
	4	173-174
	6	328
	7	372
	8	454
	9	487,501
Pieris protodice (Bdv. & Lec.) -----	9	502
Piesma cinerea (Say) -----	6	354
Piezodorus guildinii (Westw.) -----	6	309
Pikonema alaskensis (Roh.) -----	7	414
Pineus pinifoliae (Fitch) -----	5	277
	7	413
Pineus strobi (Htg.) -----	3	109
	4	191
	6	350
	9	511
Pinipestis zimmermanni Grote -----	5	276
Pinnaspis aspidistrae (Sign.) -----	1	25
	2	66
Pissodes nemorensis Germ. -----	1	25
	3	111
	4	197
Pissodes strobi (Peck) -----	1	20
	5	277
	7	412
Pityogenes hopkinsi Swaine -----	5	280
Pityophthorus ramiperda Swaine -----	7	412
Pityophthorus sp. -----	5	279
	9	486,511

	<u>No.</u>	<u>Page</u>
Plagiodera versicolora (Laich.) -----	6	353
	7	415
	8	471
Plathypena scabra (F.) -----	2	53
Plectrodera scalator (F.) -----	7	413
	8	470
	9	511
Pleurophorus ventralis Horn -----	6	322
Plinthodes taeniatus (Lec.) -----	3	104
Plodia interpunctella (Hbn.) -----	1	33
	3	124
	4	208
Plutella maculipennis (Curt.) -----	1	15
	2	59
	3	101
	4	174
	6	329
	8	455
Podoscsia spp. -----	4	197
Podoscsia syringae (Harr.) -----	1	19
	5	283
	8	474
	9	515
Pocillocapsus lineatus (F.) -----	4	164
	5	280
Pogonomyrmex barbatus (F. Smith) -----	3	120
	4	203
	5	288
	6	363
Pogonomyrmex occidentalis (Cress.) -----	9	521
Polistes spp. -----	4	204
Pollenia rudis (F.) -----	2	72
	3	122
Polycaon stouti Lec. -----	6	365
Polychrosis viteana (Clem.) -----	1	10
	3	94
	5	247
	6	317
	7	389
	8	447
Polygonia interrogationis F. -----	7	408
Polyphylla decemlineata (Say) -----	4	179
Pomphopoea aenea Say -----	3	93
	4	146-147
Pomphopoea sawi (Lec.) -----	3	93
Popillia japonica Newm. -----	4	145
	4 (Sup.)	209-211
	5	213, 230
	6	301, 302
	7	369, 377-378
	8	436
	9	487, 488
	10	566-567

	<u>No.</u>	<u>Page</u>
Porthetria dispar (L.) -----	2	62
	4	186-187
	6	343
	10	585
Prenolepis imparis (Say) -----	1	31
	2	71
Prionoxystus robiniae (Pock) -----	1	19
	4	187
Prionus californicus Mots. -----	4	179
Prionus laticollis (Drury) -----	3	112
Triophorus acericaulis (MacGill.) -----	5	275
Triophorus rubivorus Roh. -----	7	389
Pristiphora geniculata Htg. -----	7	411
	8	468
Prociphilus frazinifolii (Riley) -----	4	187
	7	406
	8	465
Prociphilus imbricator (Fitch) -----	9	506
Prociphilus tessellatus (Fitch) -----	4	190
	5	275
	6	348
Prodenia eridania (Cram.) -----	6	298
	7	369, 375
Prodenia litura F. -----	9	505-506
Prodenia ornithogalli Guen. -----	2	50
	3	77
	6	298
Prodenia praefica Grote -----	4	142
	7	375
Profenusa canadensis (Marl.) -----	4	163
	5	245
Proteides clarus (Cram.) -----	7	410
	8	467
Protoparce quinquemaculata (Haw.) -----	5	251
	6	335
	7	393, 398
	10	572
Protoparce sexta (Johan.) -----	2	59
	5	251
	6	335
	7	398
	9	500
	10	573
Protoparce spp. -----	5	261
	6	324, 335
	7	393
	8	457
	10	572

	<u>No.</u>	<u>Page</u>
<i>Psallus seriatus</i> (Reut.) -----	2	42, 61
	4	129, 182
	5	215, 264-265
	6	293, 340
	8	462
<i>Pselactus spadix</i> Hbst. -----	6	365
<i>Pseudaonidia paeoniae</i> (Ckll.) -----	8	473
	9	513
<i>Pseudocneorrhinus setosus</i> Roelofs -----	7	370, 378
<i>Pseudococcus citri</i> (Risso) -----	1	24
	2	64-65
	3	113
	4	194
	6	319
	7	391
	9	513
<i>Pseudococcus comstocki</i> (Kuw.) -----	1	8
	7	386
	8	433, 445
	9	485, 496
<i>Pseudococcus cuspidatae</i> Rau -----	7	420
<i>Pseudococcus maritimus</i> (Ehrh.) -----	5	266
<i>Pseudococcus</i> sp. -----	4	171, 178
	5	265, 280
	8	450
	9	514
<i>Pseudolynchia canariensis</i> (Macq.) -----	4	202
<i>Pseudophilippa quaintancii</i> Ckll. -----	4	192
<i>Psorophora ciliata</i> (F.) -----	6	358
	9	516
<i>Psorophora columbiae</i> D. & K. -----	6	358
	9	516
<i>Psylla parallela</i> Crawford. -----	2	64
<i>Psylla pyricola</i> (Foerst.) -----	1	9
	3	74, 92
	4	162-163
	5	245
	6	315
	7	370, 388
	8	434, 446
	9	497
<i>Psyllidae</i> -----	4	194
<i>Psyllobora taedata</i> Lec. -----	4	159
<i>Pteronidea ribesii</i> (Scop.) -----	4	164
	5	246
<i>Pteronus hudsonii</i> Dyar -----	6	351
<i>Ptilinus pruinus</i> Csy. -----	6	365
<i>Ptinus brunneus</i> Duft. -----	1	32
	3	124
<i>Ptinus fur</i> L. -----	4	206
	7	427

	<u>No.</u>	<u>Page</u>
<i>Pulex irritans</i> L. -----	4	199
	6	359
	7	421
	10	589
<i>Pulvinaria vitis</i> (L.) -----	2	64
	4	190
	5	275
	6	349
	7	411
	8	446
<i>Pycnoderes quadrimaculatus</i> Guer. -----	9	503
<i>Pyrausta gracilalis</i> Hulst. -----	8	475
<i>Pyrausta nubilalis</i> (Hbn.) -----	1 (Sup.)	37-39
	3	82
	4	149-150
	5	214, 235
	6	307
	7	370, 372, 381
	8	433, 439
	9	487, 492
	9 (Sup.)	525-532
	9 (Sup.)	533-538
	9 (Sup.)	543-554
	9 (Sup.)	555-557
	10	561-562
<i>Recurvaria thujaella</i> Kearf. -----	6	355
<i>Recurvaria variella</i> Chamb. -----	5	272
<i>Renocis mexicanus</i> Blackman -----	6	365-366
<i>Reticulitermes flavipes</i> (Koll.) -----	1	32
	2	70
	3	119
	4	202
	9	520
<i>Reticulitermes hageni</i> (Banks) -----	7	424
<i>Reticulitermes tibialis</i> Banks -----	2	70
	3	119
	4	202
	6	362
	8	480
<i>Rhabdophaga</i> sp. -----	3	110
	5	279
<i>Rhabdophaga strobiloides</i> (Walsh) -----	7	415
<i>Rhagium lineatum</i> Oliv. -----	1	19
	5	279
<i>Rhagoletis cingulata</i> (Loew) -----	5	245-246
	6	316
	8	446
<i>Rhagoletis completa</i> Cress. -----	9	512
<i>Rhagoletis fausta</i> (O. S.) -----	5	245-246
	8	446

	<u>No.</u>	<u>Page</u>
<i>Rhagoletis pomonella</i> (Walsh) -----	5	242
	6	314
	7	385
	8	433, 444
	9	485, 495
<i>Rhipicophalus sanguineus</i> (Latr.) -----	1	2, 30
	5	217
	7	422
	8	477
	9	517
	10	591
<i>Rhizoecus falcifer</i> (Kunck.) -----	9	513
<i>Rhizoglyphus hyacinthi</i> Bdv. -----	2	66
	3	112
<i>Rhizopertha dominica</i> (F.) -----	6	367
<i>Rhodobacnus tredecimfunicatus</i> (Ill.) -----	7	416
	8	473
<i>Rhopalosiphum melliferum</i> Hottes -----	5	282
<i>Rhopalosiphum nymphaeae</i> (L.) -----	8	475
<i>Rhopalosiphum prunifoliae</i> (Fitch) -----	3	89, 90
	4	159
<i>Rhopalosiphum pseudobrassicae</i> (Davis) -----	1	16-17
	3	102
	8	456
<i>Rhopalosiphum rufomaculatum</i> (Wilson) -----	1	23
	2	65
<i>Rhopetrocentrus picus</i> Marshall -----	4	206
<i>Rhyacionia buoliana</i> (Schiff.) -----	1	20
	4	190
	5	215, 276
	6	350
	8	469
<i>Rhyacionia frustrana</i> (Comst.) -----	1	20
	2	63
	5	276
	8	469
<i>Rhyacionia rigidana</i> (Fern.) -----	9	486, 510
<i>Rhynchites bicolor</i> (F.) -----	6	357
	8	475
<i>Rodolia cardinalis</i> (Muls.) -----	4	167
	5	280
<i>Romalea microptera</i> (Beauv.) -----	3	77
<i>Saissetia hemisphaerica</i> (Targ.) -----	9	513
<i>Saissetia oleae</i> (Born.) -----	5	248
	6	319
	7	390
	8	450
<i>Samia cecropia</i> (L.) -----	7	405
<i>Saperda calcarata</i> Say -----	7	414

	<u>No.</u>	<u>Page</u>
<i>Saperda candida</i> F. -----	3	87
	8	442
<i>Saperda populnea</i> (L.) -----	4	192
<i>Saperda tridentata</i> Oliv. -----	3	108
<i>Sarcophaga aldrichi</i> Parker -----	6	343
<i>Scapteriscus acletus</i> R. & H. -----	4	169
	7	370, 392
	8	452
<i>Scapteriscus</i> sp. -----	2	61
	9	499
<i>Schistocerca americana</i> (Drury) -----	9	488
<i>Schistocerca shoshone</i> (Thos.) -----	5	219
<i>Schistocerca vaga</i> (Scudd.) -----	2	49
<i>Schizura concinna</i> (A. & S.) -----	6	313
<i>Sciara inconstans</i> (Fitch) -----	1	23
<i>Sciaridae</i> -----	4	171
<i>Scirtothrips citri</i> (Moult.) -----	2	57
	3	95
	4	167
	5	214, 248
<i>Scolytus multistriatus</i> (Marshan) -----	5	273
	10	580
<i>Scolytus rugulosus</i> (Ratz.) -----	1	7
	4	162
	5	239
	7	383
	8	442
	9	494
<i>Scolytus sulcatus</i> Lec. -----	1	7
<i>Scotogramma trifolii</i> (Rott.) -----	6	298
<i>Scutigera forceps</i> Raf. -----	4	208
<i>Scutigeraella immaculata</i> (Newp.) -----	1	13-14
	3	80
	4	169-170
<i>Sibine stimulea</i> (Clen.) -----	8	440
<i>Simulium meridionale</i> Riley -----	3	118
<i>Simulium perissum</i> D. & S. -----	6	359
<i>Simulium</i> spp. -----	3	117
<i>Simulium venustum</i> Say -----	6	359
<i>Simulium vittatum</i> Zett. -----	4	199
	6	359
	8	479
<i>Sipha flava</i> (Forbes) -----	4	153
<i>Sira buskii</i> Lubbock -----	6	367
<i>Sira platani</i> Nicolet -----	6	367
<i>Sitona cylindricollis</i> Fahraeus -----	5	214, 216, 237
<i>Sitona hispidula</i> (F.) -----	2	53
	6	309
<i>Sitona lineata</i> L. -----	5	214, 216, 255
	6	327

	<u>No.</u>	<u>Page</u>
Sitophilus granarius (L.) -----	2	72
	3	124
	4	208
	8	481
Sitophilus oryza (L.) -----	1	34
	2	72
	3	124
	8	481
Sitotroga cerealella (Oliv.) -----	1	33
	2	72
	3	124
	4	208
Sixeonotus areolatus Knight -----	6	354
Smodicum cucujiforme (Say) -----	6	365
Solenopsis geminata (F.) -----	3	120
Solenopsis xyloni McCook -----	1	31
	2	71
	3	120
	5	288
	7	425
	8	480
	9	521
Solenopsis xyloni maniosa Whlr. -----	4	194
	9	521
Sparganothis flavedana (Clen.) -----	8	475
Spathineigenia spinigera Towns. -----	4	191
Sphinx lineata F. -----	6	301
	9	490
Spilocryptus lophyri (Mort.) -----	4	191
Spilonota ocellana (D. & S.) -----	1	1, 8, 9
	3	89
	4	158
	5	217
	6	312
	7	373
Stegobium paniceum (L.) -----	1	32-33
	4	206
	6	366
	7	427
	8	481
	9	522
Stenophonus sp. -----	4	206
Stephanitis pyrioides Scott -----	3	114
	8	472
	9	513
Stephanitis rhododendri Horv. -----	7	420
Stephanoderes ficus Hopk. -----	6	319
	7	391
Sternochetus lapathi (L.) -----	2	64
	4	192
	6	353

	<u>No.</u>	<u>Page</u>
Stictocephala festina (Say)-----	2	53
	9	493
Stilpnotia salicis (L.) -----	6	343
Stomoxys calcitrans (L.) -----	1	29
	2	69
	5	286
	6	361
	7	423
	8	478
	9	519
	10	587-588
Strategus julianus Burm. -----	4	194
Strigoderma arboricola (F.) -----	6	357
Strymon melinus (Hbn.) -----	8	453
Stylocryptus subclavatus (Say) -----	4	191
Supella supellectilium (Serv.) -----	2	71
	3	120
	6	364
	7	425
	9	521
Symmerista albifrons A. & S. -----	8	469
Syneta albida Lec. -----	9	509
	3	87
Syntomeida epilais Walk. -----	1	26
	8	475
Synchlora aerata F. -----	7	389
Systema taeniata (Say) -----	4	181
Tabanidae -----	6	361
Tabanus americanus Forst. -----	8	479
	9	520
Tabanus atratus F. -----	6	361
	7	423, 424
	8	479
Tabanus fuscopunctatus Macq. -----	4	201
Tabanus lineola F. -----	9	520
Tabanus sonomensis O. S. -----	6	361
Tabanus spp. -----	3	117
	4	200
	6	361
Tabanus stygius Say -----	7	423
Tabanus sulcifrons Macq. -----	7	423
Taeniopteryx pacifica Banks -----	3	93
Taeniothrips inconsequens (Uzel) -----	2	41, 55-56
	3	74, 92-93
	4	163
	5	245

	<u>No.</u>	<u>Page</u>
Taeniothrips simplex (Morison) -----	1	25
	2	67
	3	111
	4	196
	5	281
	6	356
	8	474
	9	514
Taniva albolineana Kearf. -----	4	193
	5	278
	7	414
Tapinoma sessile (Say) -----	7	425
Tarsonemus pallidus Banks -----	5	260, 282
Tenebrio molitor L. -----	3	124
	4	207
	8	481
Tenebrio obscurus F. -----	8	481
Tenebroides mauritanicus (L.) -----	1	34
Tenthredinidae -----	4	192
Termopsis angusticollis Hagen -----	2	71
Tetraleurodes mori (Quaint.) -----	5	280
Tetramorium caespitum (L.) -----	1	31
	4	202-203
	5	287
	6	362
Tetranychina tritici Ewing -----	2	41, 52
	3	82
Tetranychus pacificus McG. -----	7	373
	9	487
Tetranychus sexmaculatus Riley -----	4	167
Tetranychus spp. -----	1	8, 18, 24
	2	60
	3	104
	4	179
	5	260, 266
	6	316
	7	371, 403-404
	8	463
Tetranychus telarius (L.) -----	3	104
	4	179
	6	334
	7	381
	8	457
Tetropium cinnamopterum Kby. -----	5	279
Tetropium velutinum Lec. -----	4	206
Thecabius populi-conduplicifolius (Cowen) -----	7	414
Thecabius populi-monilis (Riley) -----	7	414
Thecodiplosis mosellana Gehin -----	6	304-305
	7	379

	<u>No.</u>	<u>Page</u>
Thermobia domestica Pack. -----	3	122
Thrips nigropilosus Uzel -----	2	58
Thrips tabaci Lind. -----	1	17
	2	58
	3	103
	5	258
	6	331
	7	397
Throscus chevrolati Bonv. -----	6	364
Thylodrias contractus Mots. -----	2	72
	3	123
	6	366
	9	522
Thyridopteryx ephemeraeformis (Haw.) -----	2	63
	3	107
	6	344
	7	405-406
	8	464
	9	506
Thysanoptera -----	1	13
	2	58-59
	4	152, 155, 171, 178
		183-184
	5	266
	6	305
	7	382
	8	472
Timarcha intricata Hald. -----	3	104
Tinea pellionella L. -----	1	33
	4	208
	7	426
Tineola biselliella (Hun.) -----	4	208
	6	367
	7	426
	8	481
Tingidae -----	8	470
Tiphia popilliavora Roh. -----	4 (Sup.)	209, 211
Tiphia vernalis Roh. -----	4 (Sup.)	209-210
Tomostethus multicinctus Roh. -----	4	187
Toumeyella liriodendri (Gmel.) -----	1	22
	2	64
	3	110
	4	193
	6	357
Toumeyella turgida Oell. -----	8	475
Toxoptera aurantiae (Fonse.) -----	4	166
Toxotrypana curvicauda Gerst. -----	3	74, 97
Trachelus tabidus (F.) -----	4	148
	7	379

	<u>No.</u>	<u>Page</u>
<i>Tremex columba</i> (L.) -----	9	512
<i>Trialeurodes vaporariorum</i> (Westw.) -----	1	24
	2	66
<i>Trialeurodes wellmani</i> (Bemis) -----	6	344
<i>Tribolium castaneum</i> (Hbst.) -----	1	34
<i>Tribolium confusum</i> Duv. -----	3	124
	8	481
<i>Tribolium madens</i> (Charp.) -----	4	207
	5	289
	6	367
<i>Trichiotinus assimilis</i> (Kby.) -----	6	357
<i>Trichobaris trinotata</i> (Say) -----	6	323
<i>Trichogramma</i> sp. -----	7	383
	8	442
<i>Trifidaphis phaseoli</i> (Pass.) -----	5	252
<i>Trigonopeltastes delta</i> (Forst.) -----	4	167
<i>Trimerotropis pallidipennis</i> Burm. -----	4	132
<i>Trimerotropis</i> spp. -----	3	77
<i>Trioza tripunctata</i> (Fitch) -----	9	507
<i>Trirhabda bacharadis</i> (Web.) -----	5	274
<i>Troctes divinatorius</i> (Mull.) -----	6	367
	9	522
<i>Trogoderma ornatum</i> Say -----	6	366
<i>Trogoderma versicolor</i> Creutzer -----	6	366
<i>Trypoxylon rubrocinctum</i> Pack. -----	6	366
<i>Tuberculatus ulmifellii</i> (Monell) -----	8	466
<i>Tyloclerma fragariae</i> (Riley) -----	3	104
	4	178
	7	397
<i>Tylonotus bimaculatus</i> Hald. -----	7	410
<i>Typhaea stercorea</i> (L.) -----	4	207
	9	523
<i>Typhlocyba pomaria</i> McAtee -----	5	243
	6	314
	7	370, 386
	8	444
<i>Typophorus viridicyaneus</i> (Crotch) -----	1	2, 17
	3	103
	5	258
	6	332-333
<i>Ulophora grotei</i> Rag. -----	8	472
<i>Ulus crassus</i> (Lec.) -----	3	102
<i>Ulus elongatulus</i> Csy. -----	2	59
<i>Urbanus proteus</i> (L.) -----	2	59
<i>Uscana semifunipennis</i> Gir. -----	8	442
<i>Vespula pennsylvanica</i> (Sauss.) -----	9	524

	<u>No.</u>	<u>Page</u>
Wasmannia auropunctata (Roger) -----	3	120
	4	203
	8	480
	9	521
Xanthopastis timais Cran. -----	9	514
Xestobium rufovillosum (Deg.) -----	4	207
Xyleborus affinis Eich. -----	6	365
Xyletinus peltatus Harr. -----	2	72
	3	125
	7	427
Xylobiops basillare (Say) -----	8	449
Xylocopa virginica (Drury) -----	4	204
	5	288
Xyloterinus politus (Say) -----	1	20
Xylotrechus colonus (F.) -----	4	206
Zophodia convolutella (Hbn.) -----	6	316
Zygogramma exclamationis (F.) -----	3	99

The common names approved by the American Association of Economic Entomologists are indicated by the letters a.n.o. (American name, official).

Achenon sphinx a.n.o. -----	Pholus achenon (Drury)
Alfalfa caterpillar a.n.o. -----	Colias carythene Bdv.
Alfalfa looper a.n.o. -----	Autographa californica (Speyer)
Alfalfa webworm a.n.o. -----	Loxostege connixtalis (Walk.)
Alfalfa weevil a.n.o. -----	Hypera postica (Gyll.)
Almond moth a.n.o. -----	Ephestia cautella (Walk.)
American dog tick a.n.o. -----	Dermacentor variabilis (Say)
Angoumois grain moth a.n.o. -----	Sitotroga cerealella (Oliv.)
Apple aphid a.n.o. -----	Aphis pomi Deg.
Apple maggot a.n.o. -----	Rhagoletis pomonella (Walsh)
Apple redbug a.n.o. -----	Lygidea nondax Reut.
Apple seed chalcid a.n.o. -----	Callinome druparum (Beh.)
Arborvitae aphid -----	Cinara tujaefilina Del G.
Arborvitae leaf miner a.n.o. -----	Argyresthia thuicella (Pack.)
Argentine ant a.n.o. -----	Iridomyrmex humilis Mayr
Argus tortoise beetle a.n.o. -----	Chelymorpha cassidea (F.)
Army cutworm a.n.o. -----	Chorizagrotis auxiliaris (Grote)
Armyworm a.n.o. -----	Cirphis unipuncta (Haw.)
Ash flower gall -----	Eriophyes fraxiniflora Felt
Asiatic garden beetle a.n.o. -----	Autoserica castanea (Arrow)
Asparagus beetle a.n.o. -----	Crioceris asparagi (L.)
Asparagus miner a.n.o. -----	Agropyza simplex Loew
Azalea lacebug -----	Stephanitis pyrioides Scott
Azalea leaf miner -----	Gracilaria azaleella Brants
Azalea scale -----	Eriococcus azaleae Const.

Azalea whitefly -----	Alcurodes azaleae (B. & M.)
Bagworm a.n.o. -----	Thyridopteryx ophemeraceformis (Haw.)
Banded ash borer -----	Neoclytus caprea (Say)
Banded cucumber beetle a.n.o. ---	Diabrotica balteata Lec.
Banded greenhouse thrips a.n.o. ---	Hercinothrips femoralis (Reut.)
Barnacle scale a.n.o. -----	Ceroptastes cirripediformis Comst.
Bat bug -----	Cinex pilosellus (Horv.)
Bean aphid a.n.o. -----	Aphis rumicis L.
Bean leaf beetle a.n.o. -----	Cerotoma trifurcata (Forst.)
Bean leaf roller a.n.o. -----	Urbanus proteus (L.)
Bean thrips a.n.o. -----	Herciothrips fasciatus (Perg.)
Bean weevil a.n.o. -----	Acanthoscelides obtectus (Say)
Bedbug a.n.o. -----	Cinex lectularius L.
Beech blight aphid a.n.o. -----	Prociphilus imbricator (Fitch)
Beech scale a.n.o. -----	Cryptococcus fagi (Baer.)
Beet armyworm a.n.o. -----	Laphygma exigua (Hbn.)
Beet leafhopper a.n.o. -----	Eutettix tenellus (Bak.)
Beet webworm a.n.o. -----	Loxostege sticticalis (L.)
Birch leaf miner a.n.o. -----	Fenusa pusilla (Lep.)
Birch skeletonizer a.n.o. -----	Bucculatrix canadensiella Charb.
Black blowfly -----	Phormia regina (Meig.)
Black cherry aphid a.n.o. -----	Myzus cerasi (F.)
Black citrus aphid a.n.o. -----	Toxoptera aurantiae (Fonse.)
Black grain stem sawfly a.n.o. ---	Trachelus tabidus (F.)
Black-headed budworm a.n.o. -----	Peronea variana (Fern.)
Black Hills beetle a.n.o. -----	Dendroctonus ponderosae Hopk.
Black peach aphid a.n.o. -----	Anuraphis persicae-niger (Smith)
Black pecan aphid a.n.o. -----	Melanocallis caryaefoliae (Davis)
Black scale a.n.o. -----	Saissetia oleae (Bern.)
Black vine weevil a.n.o. -----	Brachyrhinus sulcatus (F.)
Black widow spider a.n.o. -----	Latrodectus mactans (F.)
Blackberry psyllid -----	Trioza tripunctata (Fitch)
Bladder maple gall -----	Phyllocoptes quadripes Shin.
Blastophaga -----	Blastophaga psenes (L.)
Body louse a.n.o. -----	Pediculus humanis corporis Deg.
Boll weevil a.n.o. -----	Anthonomus grandis Boh.
Bollworm a.n.o. -----	Heliothis armigera (Hbn.)
Booklouse a.n.o. -----	Troctes divinatorius (Mull.)
Boxelder aphid a.n.o. -----	Periphyllus negundinis (Thos.)
Boxelder bug a.n.o. -----	Leptocoris trivittatus (Say)
Boxwood leaf miner a.n.o. -----	Monarthropalpus buxi Laboulb.
Broad nite a.n.o. -----	Hemitarsonemus latus Banks
Broad-necked root borer a.n.o. ---	Prionus laticollis (Drury)
Bronzed birch borer a.n.o. -----	Agrilus anxius Gory
Brown-banded cockroach a.n.o. ---	Supella supellectilium (Serv.)
Brown dog tick a.n.o. -----	Rhipicephalus sanguineus (Latr.)
Brown spider beetle a.n.o. -----	Ptinus brunneus Duft.
Brown-tail moth a.n.o. -----	Nygmia phacorrhoea (Donov.)
Brown wheat mite -----	Tetranychina tritici Ewing
Brown winter tick a.n.o. -----	Dermacentor nigrolineatus (Pack.)
Buffalo treehopper a.n.o. -----	Ceresa bubalus (F.)

Bulb mite a.n.o. -----	Rhizoglyphus hyacinthi Bdv.
Bumble flower beetle a.n.o. -----	Euphoria inda (L.)
Cabbage aphid a.n.o. -----	Brevicoryne brassicae (L.)
Cabbage curculio a.n.o. -----	Ceutorhynchus rapae Gyll.
Cabbage looper a.n.o. -----	Autographa brassicae (Riley)
Cabbage maggot a.n.o. -----	Hylemya brassicae (Bouche)
Cabbage shoot weevil -----	Ceutorhynchus assinilis Payk
Cabbage webworm a.n.o. -----	Hellula undalis (F.)
Cactus scale a.n.o. -----	Diaspis echinocacti (Bouche)
Calico scale a.n.o. -----	Lecanium cerasorum Gyll.
California pine-leaf scale -----	Aspidiotus californicus Coleman
California red scale a.n.o. -----	Aonidiella aurantii (Mask.)
Camellia scale a.n.o. -----	Lepidosaphes camelliae Hoke
Camphor thrips a.n.o. -----	Liothrips floridensis (Watson)
Carpenter bee a.n.o. -----	Xylocopa virginica (Drury)
Carpenter worm a.n.o. -----	Prionoxystus robiniae (Peck)
Carpet beetle a.n.o. -----	Anthrenus scrophulariae (L.)
Carrot beetle a.n.o. -----	Ligyrus gibbosus (Deg.)
Carrot weevil a.n.o. -----	Listronotus latiusculus (Boh.)
Casebearing clothes moth a.n.o. -----	Tinea pellionella L.
Catalpa sphinx a.n.o. -----	Ceratomia catalpae (Bdv.)
Cat flea a.n.o. -----	Ctenocephalides felis (Bouche)
Cecropia moth a.n.o. -----	Samia cecropia (L.)
Cherry fruitfly a.n.o. -----	Rhagoletis cingulata (Loew)
Cherry leaf miner -----	Profenusa canadensis (Marl.)
Cherry scale a.n.o. -----	Aspidiotus forbesi Johns.
Chicken mite a.n.o. -----	Dermanyssus gallinae (Deg.)
Chigger a.n.o. -----	Eutrombicula alfreddugesi (Oud.)
Chinch bug a.n.o. -----	Blissus leucopterus (Say)
Chokecherry midge -----	Contarinia virginianiae Felt
Chrysanthemum aphid a.n.o. -----	Macrosiphoniella sanborni (Gill.)
Chrysanthemum lacebug -----	Corythucha marmorata (Uhrl.)
Cigarette beetle a.n.o. -----	Lasioderma scerricorne (F.)
Citricola scale a.n.o. -----	Coccus pseudomagnoliarum (Kuw.)
Citrus mealybug a.n.o. -----	Pseudococcus citri (Risso)
Citrus red mite a.n.o. -----	Paratetranychus citri McG.
Citrus rust mite a.n.o. -----	Phyllocoptes oleivorus Ashn.
Citrus thrips a.n.o. -----	Scirtothrips citri (Moult.)
Citrus whitefly a.n.o. -----	Dialeurodes citri (Ashn.)
Cloudy-winged whitefly a.n.o. -----	Dialeurodes citrifolii (Morg.)
Clover leaf weevil a.n.o. -----	Hypera punctata (F.)
Clover mite a.n.o. -----	Bryobia praetiosa Koch
Clover root borer a.n.o. -----	Hylastinus obscurus (Marshan)
Clover root curculio a.n.o. -----	Sitona hispidula (F.)
Clover seed chalcid a.n.o. -----	Bruchophagus gibbus (Boh.)
Cluster fly a.n.o. -----	Pollenia rudis (F.)
Codling moth a.n.o. -----	Carpocapsa pomonella (L.)
Coffee-bean weevil a.n.o. -----	Araecerus fasciculatus (Deg.)
Colorado potato beetle a.n.o. -----	Leptinotarsa decemlineata (Say)
Columbine borer a.n.o. -----	Papaipema purpurifascia (G. & R.)
Columbine leaf miner a.n.o. -----	Phytomyza minuscula Gour.

Common cattle grub a.n.o. -----	<i>Hypoderma lineatum</i> (DeVill.)
Common red spider a.n.o. -----	<i>Tetranychus telarius</i> (L.)
Constock's mealybug a.n.o. -----	<i>Pseudococcus comstocki</i> (Kuw.)
Cooley's spruce gall -----	<i>Adelges cooleyi</i> (Gill.)
Corn ear worm a.n.o. -----	<i>Heliothis armigera</i> (Hbn.)
Corn flea beetle a.n.o. -----	<i>Chaetocnema pulicaria</i> Melsh.
Corn lanternfly -----	<i>Peregrinus maidis</i> (Ashm.)
Corn leaf aphid a.n.o. -----	<i>Aphis maidis</i> Fitch
Corn root aphid a.n.o. -----	<i>Auraphis maidi-radiciis</i> (Forbes)
Corn root webworm a.n.o. -----	<i>Cranbus caliginosellus</i> Clem.
Corn rootworm a.n.o. -----	<i>Diabrotica longicornis</i> (Say)
Corn silk beetle a.n.o. -----	<i>Luperodes brunneus</i> Crotch
Cotton flea hopper a.n.o. -----	<i>Psallus scriatus</i> (Reut.)
Cotton leaf perforator a.n.o. ---	<i>Duculatrix thurberiella</i> Busck
Cotton leaf worm a.n.o. -----	<i>Alabama argillacea</i> (Hbn.)
Cotton-square borer a.n.o. -----	<i>Strymon melinus</i> (Hbn.)
Cotton stainer a.n.o. -----	<i>Dysdercus suturolus</i> (H. S.)
Cottonwood borer a.n.o. -----	<i>Electrodera scalator</i> (F.)
Cottonwood leaf beetle a.n.o. ---	<i>Chrysomela scripta</i> (F.)
Cottonwood scale -----	<i>Chionaspis ortholobis</i> Const.
Cottony-cushion scale a.n.o. ---	<i>Icerya purchasi</i> Mask.
Cottony maple scale a.n.o. -----	<i>Pulvinaria vitis</i> (L.)
Coulee cricket a.n.o. -----	<i>Perenabrus scabricollis</i> (Thos.)
Cowpea aphid a.n.o. -----	<i>Aphis medicaginis</i> Koch
Cowpea curculio a.n.o. -----	<i>Chalcodermus aeneus</i> Boh.
Cowpea weevil a.n.o. -----	<i>Callosobruchus maculatus</i> (F.)
Crapemyrtle aphid a.n.o. -----	<i>Myzocallis kahawaluokalani</i> Kirk.
Cross-striped cabbage worm a.n.o.	<i>Evergetis rimosalis</i> (Guen.)
Currant aphid a.n.o. -----	<i>Capitophorus ribis</i> (L.)
Currant fruitfly a.n.o. -----	<i>Epochra canadensis</i> Loew
Currant stem girdler a.n.o. -----	<i>Janus integer</i> (Nort.)
Cyclamen mite a.n.o. -----	<i>Tarsonemus pallidus</i> Banks
Deodar weevil a.n.o. -----	<i>Pissodes nemorensis</i> Gern.
Depluming mite a.n.o. -----	<i>Cnecidocoptes gallinae</i> Raill.
Diamondback moth a.n.o. -----	<i>Plutella maculipennis</i> (Curt.)
Dogwood borer -----	<i>Oberca tripunctata</i> (Swed.)
Dogwood club gall -----	<i>Mycodiplosis alternata</i> Felt
Douglas fir beetle a.n.o. -----	<i>Dendroctonus pseudotsugae</i> Hopk.
Douglas fir tussock moth a.n.o. ---	<i>Homocarpa pseudotsugae</i> McD.
Dried fruit beetle a.n.o. -----	<i>Carpophilus homipterus</i> (L.)
Drug store weevil a.n.o. -----	<i>Stegobium panicum</i> (L.)
Ear tick a.n.o. -----	<i>Ornithodoros mognini</i> Duges
Eastern hemlock borer -----	<i>Melanophila fulvoguttata</i> (Harr.)
Eastern larch beetle a.n.o. -----	<i>Dendroctonus simplex</i> Lec.
Eastern spruce ball aphid a.n.o. ---	<i>Adelges abietis</i> (L.)
Eastern spruce beetle a.n.o. ---	<i>Dendroctonus piccaperda</i> Hopk.
Eastern tent caterpillar a.n.o. ---	<i>Malacosoma americana</i> (F.)
Elm borer a.n.o. -----	<i>Saperda tridentata</i> Oliv.
Elm cockscomb gall a.n.o. -----	<i>Colopha ulmicola</i> (Fitch)
Elm flea beetle -----	<i>Altica ulni</i> Woods

Elm leaf beetle a.n.o. -----	<i>Galerucella xanthomelaena</i> (Schr.)
Elm sawfly a.n.o. -----	<i>Cimbex americana</i> Leach
Elm scurfy scale a.n.o. -----	<i>Chionaspis americana</i> Johns.
Elm spanworm a.n.o. -----	<i>Ennomos subsignarius</i> (Hbn.)
Engelmann spruce beetle a.n.o. --	<i>Dendroctonus engelmanni</i> Hopk.
Euonymus scale a.n.o. -----	<i>Chionaspis euonymi</i> Comst.
European alder leaf miner a.n.o. ---	<i>Fenusa dohrnii</i> (Tishbein)
European corn borer a.n.o. -----	<i>Pyrausta nubilalis</i> (Hbn.)
European carwig a.n.o. -----	<i>Forficula auricularia</i> L.
European elm scale a.n.o. -----	<i>Gossyparia spuria</i> (Mod.)
European fruit locanium a.n.o. --	<i>Lecanium corni</i> Bouche
European grain moth a.n.o. -----	<i>Nemapogon granella</i> (L.)
European pine shoot moth a.n.o. ---	<i>Rhyacionia buoliana</i> (Schiff.)
European red mite a.n.o. -----	<i>Paratetranychus pilosus</i> (C. & F.)
European spruce sawfly a.n.o. ---	<i>Gilpinia polytoma</i> (Htg.)
European wheat stem sawfly a.n.o.	<i>Cephus pygmaeus</i> (L.)
European willow leaf beetle -----	<i>Plagiodera versicolora</i> (Laich.)
Eye-spotted budmoth a.n.o. -----	<i>Spilonota ocellana</i> (D. & S.)
Fall armyworm a.n.o. -----	<i>Laphygma frugiperda</i> (A. & S.)
Fall cankerworm a.n.o. -----	<i>Alsophila pomataria</i> (Harr.)
Fall webworm a.n.o. -----	<i>Hyphantria cunea</i> (Drury)
False chinch bug a.n.o. -----	<i>Nysius ericae</i> (Schill.)
Feather mite -----	<i>Liponyssus sylviarum</i> C. & F.
Fern scale a.n.o. -----	<i>Pinnaspis aspidistrae</i> (Sign.)
Fickle midge -----	<i>Sciara inconstans</i> (Fitch)
Field cricket a.n.o. -----	<i>Gryllus assimilis</i> F.
Fig scale a.n.o. -----	<i>Lepidosaphes ficus</i> (Sign.)
Fir sawfly -----	<i>Noodiprion abietis</i> (Harr.)
Firebrat a.n.o. -----	<i>Thermobia domestica</i> Pack.
Flatheaded apple tree borer a.n.o.	<i>Chrysobothris femorata</i> (Oliv.)
Florida red scale a.n.o. -----	<i>Chrysomphalus aonidum</i> (L.)
Flower thrips a.n.o. -----	<i>Frankliniella tritici</i> (Fitch)
Flower webworm -----	<i>Homocidoma electellum</i> Hult.
Forest tent caterpillar a.n.o. --	<i>Malacosoma disstria</i> Hbn.
Foreign grain beetle -----	<i>Cathartus advena</i> (Waltl.)
Four-lined plant bug a.n.o. -----	<i>Poecilocapsus lineatus</i> (F.)
Fowl tick a.n.o. -----	<i>Argas miniatus</i> Koch
Fruit tree leaf beetle -----	<i>Syneta albida</i> Lec.
Fruit tree leaf roller a.n.o. ---	<i>Cacoecia argyrospila</i> (Walk.)
Fuller's rose beetle a.n.o. -----	<i>Pantomorus godmani</i> (Crotch)
Furniture carpet beetle -----	<i>Anthrenus vorax</i> Wtrh.
Garden centipede a.n.o. -----	<i>Scutigera immaculata</i> (Newp.)
Garden flea hopper a.n.o. -----	<i>Halticus citri</i> (Ashm.)
Garden springtail a.n.o. -----	<i>Bourletiella hortensis</i> (Fitch)
Garden webworm a.n.o. -----	<i>Loxostege similalis</i> (Guen.)
German cockroach a.n.o. -----	<i>Blattella germanica</i> (L.)
Giant aphid -----	<i>Longistima caryae</i> Harr.
Gladiolus thrips a.n.o. -----	<i>Taeniothrips simplex</i> (Morison)
Globose scale a.n.o. -----	<i>Lecanium prunastri</i> (Fonsc.)
Golden oak scale -----	<i>Asterolecanium variolosum</i> (Ratz.)
Goldsmith beetle -----	<i>Cotalpa lanigera</i> (L.)

Gooseberry fruitworm a.n.o. -----	<i>Zophodia convolutella</i> (Hbn.)
Gouty oak gall -----	<i>Andricus punctatus</i> Bass
Grape berry moth a.n.o. -----	<i>Polychrosis viteana</i> (Clem.)
Grape colaspis a.n.o. -----	<i>Colaspis brunnea</i> (F.)
Grape curculio a.n.o. -----	<i>Craponius inaequalis</i> (Say)
Grape leaf folder a.n.o. -----	<i>Desmia funeralis</i> (Hbn.)
Grape leafhopper a.n.o. -----	<i>Erythroneura comes</i> (Say)
Grape phylloxera a.n.o. -----	<i>Phylloxera vitifoliae</i> (Fitch)
Grape scale a.n.o. -----	<i>Aspidiotus uvae</i> Comst.
Grape trunk borer a.n.o. -----	<i>Clytoleptus albofasciatus</i> (Lap.)
Grapevine aphid a.n.o. -----	<i>Aphis illinoisensis</i> Shin.
Gray-banded leaf roller a.n.o. --	<i>Argyrotaenia mariana</i> (Fern.)
Greedy scale a.n.o. -----	<i>Aspidiotus camelliae</i> Sign.
Green citrus aphid -----	<i>Aphis spiraeicola</i> Patch
Green clover worm a.n.o. -----	<i>Plathypena scabra</i> (F.)
Green fruitworm a.n.o. -----	<i>Graptolitha antennata</i> (Walk.)
Green June beetle a.n.o. -----	<i>Cotinus nitida</i> (L.)
Green peach aphid a.n.o. -----	<i>Myzus persicae</i> (Sulz.)
Green stinkbug a.n.o. -----	<i>Acrosternum hilare</i> (Say)
Greenhouse whitefly a.n.o. -----	<i>Trialeurodes vaporariorum</i> (Westw.)
Green-striped maple worm a.n.o. -	<i>Chisota rubicunda</i> F.
Gulf coast tick a.n.o. -----	<i>Amblyomma maculatum</i> Koch
Gypsy moth a.n.o. -----	<i>Porthetria dispar</i> (L.)

Hackberry nipple gall a.n.o. ----	<i>Pachypsylla celtidis-narna</i> Riley
Hairy chinch bug a.n.o. -----	<i>Blissus hirtus</i> Montd.
Harlequin bug a.n.o. -----	<i>Murgantia histrionica</i> (Hahn)
Head louse a.n.o. -----	<i>Pediculus humanus humanus</i> L.
Hessian fly a.n.o. -----	<i>Phytophaga destructor</i> (Say)
Hickory nut curculio -----	<i>Conotrachelus affinis</i> Boh.
Hickory phylloxera -----	<i>Phylloxera caryaecaulis</i> Fitch
Hickory shuck worm a.n.o. -----	<i>Laspeyresia caryana</i> (Fitch)
Hickory tussock moth a.n.o. ----	<i>Halisidota caryae</i> (Harr.)
Holly leaf miner a.n.o. -----	<i>Phytomyza ilicis</i> Curt.
Hop aphid a.n.o. -----	<i>Phorodon humuli</i> (Schr.)
Horn fly a.n.o. -----	<i>Haematobia irritans</i> L.
Horse botfly a.n.o. -----	<i>Gasterophilus intestinalis</i> (Deg.)
House centipede a.n.o. -----	<i>Scutigera forceps</i> Raf.
House cricket a.n.o. -----	<i>Gryllus domesticus</i> L.
Human flea a.n.o. -----	<i>Pulex irritans</i> L.

Inbricated snout beetle a.n.o. --	<i>Epicaerus inbricatus</i> (Say)
Imported cabbage worm a.n.o. ----	<i>Pieris rapae</i> (L.)
Imported currant worm a.n.o. ----	<i>Pteronidea ribesii</i> (Scop.)
Imported willow leaf beetle -----	<i>Plagiodera versicolora</i> (Laich.)
Indian meal moth a.n.o. -----	<i>Plodia interpunctella</i> (Hbn.)
Introduced pine sawfly a.n.o. ----	<i>Diprion similis</i> (Htg.)
Io moth a.n.o. -----	<i>Automeris io</i> (F.)
Iris borer a.n.o. -----	<i>Macronoctua onusta</i> Grote
Iris weevil -----	<i>Mononychus vulpeculus</i> (F.)

Japanese beetle a.n.o. -----	<i>Popillia japonica</i> Newm.
Japanese maple scale -----	<i>Leucaspis japonica</i> Ckll.

Jeffrey pine beetle a.n.o. -----	<i>Dendroctonus jeffreyi</i> Hopk.
Juniper midge -----	<i>Contarinia juniperina</i> Felt
Juniper scale a.n.o. -----	<i>Diaspis caureli</i> Targ.
Juniper webworm a.n.o. -----	<i>Dichomeris marginellus</i> (F.)
Lappet moth a.n.o. -----	<i>Epicnaptera americana</i> (Harr.)
Larch casebearer a.n.o. -----	<i>Coleophora laricella</i> Hbn.
Larch sawfly a.n.o. -----	<i>Lygaconematus crichsonii</i> (Htg.)
Larder beetle a.n.o. -----	<i>Dermestes lardarius</i> L.
Larger elm leaf beetle -----	<i>Monocosta coryli</i> (Say)
Leaf crumpler a.n.o. -----	<i>Mimola indigenella</i> (Zoll.)
Lesser canna leaf roller -----	<i>Geshna cannalis</i> Quaint.
Lesser cornstalk borer a.n.o. -----	<i>Elasmodiplosis lignosellus</i> (Zoll.)
Lesser grain borer a.n.o. -----	<i>Rhizopertha dominica</i> (F.)
Lesser peach borer a.n.o. -----	<i>Conopia pictipes</i> (G. & R.)
Lilac borer a.n.o. -----	<i>Podocscia syringae</i> (Harr.)
Lilac leaf miner a.n.o. -----	<i>Gracilaria syringella</i> F.
Lima bean vine borer a.n.o. -----	<i>Monoptilota pergratialis</i> (Hulst)
Linden wart gall -----	<i>Cecidomyia verrucicola</i> O. S.
Locust borer a.n.o. -----	<i>Cyllene robiniae</i> (Forst.)
Locust leaf miner a.n.o. -----	<i>Chalepus dorsalis</i> Thunb.
Locust twig borer -----	<i>Ecdytolopha insiticiaria</i> Zell.
Long star tick a.n.o. -----	<i>Amblyomma americanum</i> (L.)
Long-nosed cattle louse -----	<i>Linognathus vitula</i> L.
Magnolia scale a.n.o. -----	<i>Neolecanium cornuparvum</i> (Thro)
Maple bladder gall -----	<i>Phyllocoptes quadriipes</i> Shin.
Maple leaf cutter a.n.o. -----	<i>Paraclemensia acerifoliella</i> (Fitch)
Maple leaf stem borer -----	<i>Priophorus acericaulis</i> (MacGill.)
Maple nepticula -----	<i>Nepticula sericopeza</i> Zell.
Meadow plant bug a.n.o. -----	<i>Miris dolabratus</i> (L.)
Mealy flata -----	<i>Ormenis pruinosa</i> (Say)
Melon aphid a.n.o. -----	<i>Aphid gossypii</i> Glov.
Melonworm a.n.o. -----	<i>Diaphania hyalinata</i> (L.)
Mexican bean beetle a.n.o. -----	<i>Epilachna varivestis</i> Muls.
Mexican mealybug a.n.o. -----	<i>Phenacoccus gossypii</i> Towns. & Chll.
Monarch butterfly a.n.o. -----	<i>Danaus plexippus</i> (Hbn.)
Mormon cricket a.n.o. -----	<i>Anabrus simplex</i> Hald.
Mourning-cloak butterfly a.n.o. -	<i>Hamadryas antiopa</i> (L.)
Mountain pine beetle a.n.o. -----	<i>Dendroctonus monticolae</i> Hopk.
Mulberry whitefly a.n.o. -----	<i>Tetraneura mori</i> (Quaint.)
Nantucket pine shoot moth -----	<i>Rhyacionia frustrana</i> (Const.)
Narcissus bulb fly a.n.o. -----	<i>Merodon equestris</i> (F.)
Native elm bark beetle a.n.o. -----	<i>Hylurgopinus rufipes</i> (Eich.)
Norway maple aphid a.n.o. -----	<i>Periphyllus lyropictus</i> (Koss.)
Nose botfly a.n.o. -----	<i>Gasterophilus haemorrhoidalis</i> (L.)
Oak rosette gall -----	<i>Cynips frondosa</i> Bass.
Obscure scale a.n.o. -----	<i>Chrysomphalus obscurus</i> (Const.)
Oleander aphid -----	<i>Aphis nerii</i> Fonsc.
Oleander scale a.n.o. -----	<i>Aspidiotus hederac</i> (Vallot)
Olive scale -----	<i>Parlatoria oleae</i> (Colv.)

Onion maggot a.n.o. -----	<i>Hylemya antiqua</i> (Meig.)
Onion thrips a.n.o. -----	<i>Thrips tabaci</i> Lind.
Orange-striped oak worm a.n.o. ---	<i>Anisota senatoria</i> (A. & S.)
Orange tortrix a.n.o. -----	<i>Argyrotaenia citrana</i> (Fern.)
Orchid weevil -----	<i>Diorymerellus marginellus</i> F.
Oriental cockroach a.n.o. -----	<i>Blatta orientalis</i> L.
Oriental fruit moth a.n.o. -----	<i>Grapholitha molesta</i> (Busck)
Oystershell scale a.n.o. -----	<i>Lepidosaphes ulmi</i> (L.)
Pacific coast tick a.n.o. -----	<i>Dermacentor occidentalis</i> Noun.
Painted hickory borer a.n.o. ----	<i>Cyllene caryae</i> Gahan
Pale tussock moth a.n.o. -----	<i>Halisidota tessellaris</i> (A. & S.)
Pale western cutworm a.n.o. ----	<i>Agrotis orthogonia</i> Morr.
Pales weevil a.n.o. -----	<i>Hylobius pales</i> (Hbst.)
Palm-leaf skeletonizer -----	<i>Homaledra sabalella</i> Chamb.
Palmerworm a.n.o. -----	<i>Dichomeris ligulella</i> Hbn.
Papaya fruitfly a.n.o. -----	<i>Toxotrypana curvicauda</i> Gerst.
Pea aphid a.n.o. -----	<i>Macrosiphum pisi</i> (Kltb.)
Pea moth a.n.o. -----	<i>Laspeyresia nigricana</i> (Steph.)
Pea weevil a.n.o. -----	<i>Bruchus pisorum</i> (L.)
Peach and plum slug -----	<i>Eriocampoides arygdalina</i> Roh.
Peach borer a.n.o. -----	<i>Conopia exitiosa</i> (Say)
Peach twig borer a.n.o. -----	<i>Anarsia lineatella</i> Zell.
Pear leaf blister mite a.n.o. --	<i>Eriophyes pyri</i> Fgst.
Pear midge a.n.o. -----	<i>Contarinia pyrivora</i> (Riley)
Pear psylla a.n.o. -----	<i>Psylla pyricola</i> (Foerst.)
Pear slug a.n.o. -----	<i>Caliroa cerasi</i> (L.)
Pear thrips a.n.o. -----	<i>Taeniothrips inconsequens</i> (Uzel)
Pecan carpenter worm a.n.o. ----	<i>Cossula magnifica</i> (Stkr.)
Pecan nut casebearer a.n.o. ----	<i>Acrobasis caryae</i> Grote
Pecan phylloxera a.n.o. -----	<i>Phylloxera devastatrix</i> Perg.
Pecan weevil a.n.o. -----	<i>Curculio caryae</i> (Horn)
Pepper weevil a.n.o. -----	<i>Anthonomus eugenii</i> Cano
Periodical cicada a.n.o. -----	<i>Magicicada septendecim</i> (L.)
Phlox plant bug a.n.o. -----	<i>Lopidea davisi</i> Knight
Pickleworm a.n.o. -----	<i>Diaphania nitidalis</i> (Stoll)
Pigeon fly a.n.o. -----	<i>Pseudolynchia canariensis</i> (Macq.)
Pigeon tremex a.n.o. -----	<i>Tremex columba</i> (L.)
Pine bark aphid a.n.o. -----	<i>Pineus strobi</i> (Htg.)
Pine needle scale a.n.o. -----	<i>Chionaspis pinifoliae</i> (Fitch)
Pine root-collar weevil a.n.o. -	<i>Hylobius radialis</i> Buch.
Pine spittle bug a.n.o. -----	<i>Aphrophora parallela</i> (Say)
Pine tube moth a.n.o. -----	<i>Argyrotaenia pinatubana</i> (Kearf.)
Pink bollworm a.n.o. -----	<i>Pectinophora gossypiella</i> (Saund.)
Pistol casebearer a.n.o. -----	<i>Coleophora malivorella</i> Riley
Pitch-mass borer -----	<i>Parharmonia pini</i> Kellicott
Pitch twig moth a.n.o. -----	<i>Petrova constockiana</i> (Fern.)
Plum curculio a.n.o. -----	<i>Conotrachelus nenuphar</i> (Hbst.)
Plum leafhopper a.n.o. -----	<i>Macropsis trimaculata</i> (Fitch)
Polka dot wasp moth -----	<i>Syntomeida epilais</i> Walk.
Poplar borer a.n.o. -----	<i>Saperda calcarata</i> Say
Poplar and willow borer a.n.o. -	<i>Sternonchetus lapathi</i> (L.)

Poplar tent maker -----	Ichthyura inclusa Hbn.
Potato aphid a.n.o. -----	Macrosiphum solanifolii (Ashm.)
Potato flea beetle a.n.o. -----	Epitrix cucumeris (Harr.)
Potato leafhopper a.n.o. -----	Eupoasca fabae (Harr.)
Potato psyllid a.n.o. -----	Paratrioza cockerelli (Sulc)
Potato stalk borer a.n.o. -----	Trichobaris trinotata (Say)
Potato tuber worm a.n.o. -----	Gnorimoschena operculolla (Zell.)
Pubescent oak kermes -----	Kermes pubescens Bogue
Purple scale a.n.o. -----	Lepidosaphes beckii (Nown.)
Puss caterpillar a.n.o. -----	Megalopyge opercularis (A. & S.)
Raisin moth a.n.o. -----	Ephestia figulilella Greg.
Raspberry cane borer a.n.o. -----	Oberoa biraculata (Oliv.)
Raspberry fruitworm a.n.o. -----	Byturus unicolor Say
Redbud aphid -----	Aphis pawneeae Hottes
Red-headed pine sawfly a.n.o. ---	Neodiprion lecontei (Fitch)
Red-humped caterpillar a.n.o. ---	Schizura concinna (A. & S.)
Red-humped oak caterpillar. ---	Symmerista albifrons (A. & S.)
Red-legged flea beetle a.n.o. ---	Derocrepis erythropus (Melsh.)
Red-necked cane borer a.n.o. ---	Agrilus ruficollis (F.)
Red turnip beetle a.n.o. -----	Entomoscelis adonidis (Pallas)
Rhododendron borer a.n.o. -----	Conopia rhododendri (Beutr.)
Rhododendron lacebug a.n.o. -----	Stephanitis rhododendri Horv.
Rhododendron midge -----	Giardomyia rhododendri Felt
Rhubarb curculio a.n.o. -----	Lixus concavus Say
Rocky Mountain spotted fever tick	Dermacentor andersoni Stiles
Rose aphid a.n.o. -----	Macrosiphum rosae (L.)
Rose chafer a.n.o. -----	Macroductylus subspinosus (F.)
Rose curculio a.n.o. -----	Rhynchites bicolor (F.)
Rose leaf beetle a.n.o. -----	Nodonota puncticollis Say
Rose midge a.n.o. -----	Dasyncura rhodophaga (Coq.)
Rose sawfly a.n.o. -----	Caliroa aethiops (F.)
Rose scale a.n.o. -----	Aulacaspis rosae (Bouche)
Rosy apple aphid a.n.o. -----	Anuraphis rosae Baker
Round headed apple tree borer a.n.o. -----	Saperda candida F.
Rusty plum aphid a.n.o. -----	Hysteroneura setariae (Thos.)
Saddleback caterpillar a.n.o. ---	Sibine stimulea (Clem.)
Saddled prominent a.n.o. -----	Heterocampa guttivitta (Walk.)
Salmon fly -----	Taeniopteryx pacifica Banks
Salt-marsh caterpillar a.n.o. ---	Estigmene acrea (Drury)
San Jose scale a.n.o. -----	Aspidiotus perniciosus Const.
Satin moth a.n.o. -----	Stilpnotia salicis (L.)
Saw-toothed grain beetle a.n.o. -	Oryzaephilus surinamensis (L.)
Say's blister beetle a.n.o. -----	Pomphopoea sayi (Lec.)
Say's stinkbug a.n.o. -----	Chlorochroa sayi Stal
Scallop-shell moth -----	Calocalpe undulata L.
Screwworm a.n.o. -----	Cochliomyia americana C. & F.
Scurfy scale a.n.o. -----	Chionaspis furfura (Fitch)
Seed-corn beetle a.n.o. -----	Agonoderus lecontei Chaud.
Seed-corn maggot a.n.o. -----	Hylemya cilicrura (Rond.)
Sheep botfly a.n.o. -----	Oestrus ovis L.

Sheep tick a.n.o. -----	Molophagus ovinus (L.)
Short-nosed cattle louse a.n.o. --	Haematopinus eurysternus Nitz.
Shot-hole borer a.n.o. -----	Scolytus rugulosus (Ratz.)
Silverfish a.n.o. -----	Lepisma saccharina L.
Silver-spotted halisidota -----	Euschausia argentata Pack.
Silver-spotted skipper -----	Proteides clarus (Cran.)
Sitka spruce beetle a.n.o. -----	Dendroctonus obesus (Mann.)
Sitka spruce gall aphid -----	Adelges cooleyi (Gill.)
Six-spotted leafhopper a.n.o. ---	Macrostoles divisus (Uhl.)
Six-spotted mite a.n.o. -----	Tetranychus sexmaculatus Riley
Smaller European elm bark beetle a.n.o. -----	Scolytus multistriatus (Marshan)
Snowy tree cricket a.n.o. -----	Oecanthus nivous (Deg.)
Soft scale a.n.o. -----	Coccus hesperidum L.
Sorghum webworm a.n.o. -----	Celama sorghiella (Riley)
Sourgun casecutter -----	Antispila nyssaeifoliella Clem.
Southern buffalo gnat a.n.o. ----	Eusimulium pecuarum (Riley)
Southern cabbage worm a.n.o. ----	Pieris protodice (Bdv. & Lec.)
Southern corn rootworm a.n.o. ---	Diabrotica duodecimpunctata (F.)
Southern cornstalk borer a.n.o. -	Diatraea crambidoides (Grote)
Southern green stinkbug a.n.o. --	Nezara viridula (L.)
Southern mole cricket a.n.o. ----	Scapteriscus acletus R. & H.
Southern pine beetle a.n.o. -----	Dendroctonus frontalis Zimm.
Southwestern corn borer a.n.o. ---	Diatraea grandiosella Dyar
Spirea aphid a.n.o. -----	Aphis spiraeicola Patch
Spotted cucumber beetle a.n.o. --	Diabrotica duodecimpunctata (F.)
Spotted willow leaf beetle -----	Chrysomela lapponica (L.)
Spring cankerworm a.n.o. -----	Paleacrita vernata (Pock)
Spruce bud scale -----	Physokermes piceae Schr.
Spruce budworm a.n.o. -----	Cacoecia furifera (Clem.)
Spruce gall aphid -----	Pineus pinifoliae (Fitch)
Spruce mite -----	Paratetranychus uniusguis Jacobi
Spruce needle miner -----	Taniva albolineana Koarf.
Squash beetle a.n.o. -----	Epilachna borealis (F.)
Squash borer a.n.o. -----	Melittia satyriniformis Hbn.
Squash bug a.n.o. -----	Anasa tristis (Deg.)
Stablefly a.n.o. -----	Stomoxys calcitrans (L.)
Stalk borer a.n.o. -----	Papaipema nobris nitela (Guon.)
Steel-blue grapevine flea beetle	Altica carinata Germ.
Sticktight flea a.n.o. -----	Echidnophaga gallinacea (Westw.)
Strawberry crown borer a.n.o. ----	Tyloderma fragariae (Riley)
Strawberry crown miner -----	Aristotelia fragariae Busck
Strawberry fruitworm a.n.o. -----	Cnephasia longana (Haw.)
Strawberry leaf roller a.n.o. ---	Ancyliis comptana (Froel.)
Strawberry root aphid a.n.o. ----	Aphis forbesi Wood
Strawberry root weevil a.n.o. ---	Brachyrhinus ovatus (L.)
Strawberry weevil a.n.o. -----	Anthonomus signatus Say
Striped cucumber beetle a.n.o. --	Diabrotica vittata (F.)
Striped flea beetle a.n.o. -----	Phyllotreta vittata (F.)
Striped tortoise beetle -----	Metritona bivittata (Say)
Suckfly a.n.o. -----	Dicyphus minimus Uhl..
Sugar-beet root maggot -----	Eurycephalomyia myopaeformis Roeder
Sugar-beet wireworm a.n.o. -----	Limonius californicus (Mann.)

Sugarcane beetle a.n.o. -----	<i>Eucthoola rugiceps</i> (Lec.)
Sugarcane borer a.n.o. -----	<i>Diatraea saccharalis</i> (F.)
Sugarcane rootstock weevil -----	<i>Anacetrinus subnudus</i> Buch.
Sugar maple borer a.n.o. -----	<i>Glycobius speciosus</i> (Say)
Sunflower weevil -----	<i>Rhodothenus tredecimpunctatus</i> (Ill.)
Sweetpotato flea beetle a.n.o. ---	<i>Chaetocnema confinis</i> Crotch
Sweetpotato hornworm a.n.o. -----	<i>Herse cingulata</i> (F.)
Sweetpotato leaf beetle -----	<i>Typophorus viridicyaneus</i> Crotch
Sweetpotato weevil a.n.o. -----	<i>Cylas fornicarius</i> (F.)
Tarnished plant bug a.n.o. -----	<i>Lygus pratensis oblineatus</i> (Say)
Three-cornered alfalfa hopper a.n.o. -	<i>Stictoccephala festina</i> (Say)
Three-lined potato beetle a.n.o. -	<i>Lema trilineata</i> (Oliv.)
Tissue paper bug -----	<i>Thylodrias contractus</i> Mots.
Tobacco budworm a.n.o. -----	<i>Heliiothis virescens</i> (F.)
Tobacco flea beetle a.n.o. -----	<i>Epitrix parvula</i> (F.)
Tobacco moth a.n.o. -----	<i>Ephestia elutella</i> (Hbn.)
Tobacco thrips a.n.o. -----	<i>Frankliniella fusca</i> (Hinds)
Tomato fruitworm a.n.o. -----	<i>Heliiothis armigera</i> (Hbn.)
Tomato pinworm a.n.o. -----	<i>Keiferia lycopersicella</i> (Busck)
Tomato psyllid a.n.o. -----	<i>Paratrioza cockerelli</i> (Sulc)
Tomato stilt bug -----	<i>Jalysus spinosus</i> (Say)
Tomato worm a.n.o. -----	<i>Protoparce sexta</i> (Johan.)
Tropical rat mite a.n.o. -----	<i>Liponyssus bacoti</i> (Hirst)
Tuliptree scale a.n.o. -----	<i>Toumeyella liriodendri</i> (Gmel.)
Turkey gnat a.n.o. -----	<i>Simulium meridionale</i> Riley
Turnip aphid a.n.o. -----	<i>Rhopalosiphum pseudobrassicac</i> (Davis)
Twig girdler a.n.o. -----	<i>Oncideres cingulatus</i> (Say)
Twig pruner a.n.o. -----	<i>Hypermallus villosus</i> (F.)
Two-lined chestnut borer a.n.o. -	<i>Agrilus bilineatus</i> (Web.)
Two-marked tree hopper a.n.o. ---	<i>Enchenopa binotata</i> Say
Ugly-nest caterpillar a.n.o. ----	<i>Cacoecia cerasivorana</i> (Fitch)
Varied carpet beetle a.n.o. -----	<i>Anthrenus verbasci</i> (L.)
Variogated cutworm a.n.o. -----	<i>Peridroma margaritosa</i> (Haw.)
Vegetable weevil a.n.o. -----	<i>Listroderes obliquus</i> Klug
Velvetbean caterpillar a.n.o. ----	<i>Anticarsia gemmatilis</i> (Hbn.)
Vetch bruchid a.n.o. -----	<i>Bruchus brachialis</i> Fahracus
Walkingstick a.n.o. -----	<i>Diapheromera femorata</i> (Say)
Walnut caterpillar a.n.o. -----	<i>Datana integerrima</i> G. & R.
Walnut husk fly a.n.o. -----	<i>Rhagoletis completa</i> Cress.
Watercress leaf beetle a.n.o. ---	<i>Phaedon aeruginosus</i> Suffr.
Waterlily aphid -----	<i>Rhopalosiphum nymphacac</i> (L.)
Webbing clothes moth a.n.o. -----	<i>Tineola biselliella</i> (Hun.)
Western grape rootworm a.n.o. ---	<i>Adoxus obscurus</i> (L.)
Western pine beetle a.n.o. -----	<i>Dendroctonus brevicornis</i> Lec.
Western potato flea beetle a.n.o. -	<i>Epitrix suberinita</i> Lec.
Western spotted cucumber beetle a.n.o. -	<i>Diabrotica soror</i> Lec.
Western tent caterpillar a.n.o. -	<i>Malacosoma pluvialis</i> (Dyar)



Wharf borer -----	<i>Nacorda melanura</i> (L.)
Wheat jointworm a.n.o. -----	<i>Harmolita tritici</i> (Fitch)
Wheat midge a.n.o. -----	<i>Thecodiplosis nosellana</i> Gehin
Wheat stem maggot a.n.o. -----	<i>Meromyza americana</i> Fitch
Wheat stem sawfly a.n.o. -----	<i>Cephus cinctus</i> Nort.
Wheat straw worm a.n.o. -----	<i>Harmolita grandis</i> (Riley)
White apple leafhopper a.n.o. ---	<i>Typhlocyba pomaria</i> McAtee
White-fringed beetle a.n.o. -----	<i>Pantomorus leucoloma</i> (Boh.)
White-lined sphinx a.n.o. -----	<i>Sphinx lineata</i> F.
White-marked spider beetle a.n.o.	<i>Ptinus fur</i> L.
White-marked tussock moth a.n.o. -	<i>Homocampa leucostigma</i> (A. & S.)
White peach scale a.n.o. -----	<i>Aulacaspis pentagona</i> (Targ.)
White-pine aphid -----	<i>Cinara strobi</i> Fitch
White-pine cone beetle a.n.o. ---	<i>Conophthorus coniperda</i> (Schwarz)
White-pine weevil a.n.o. -----	<i>Pissodes strobi</i> (Peck)
Woolly alder aphid a.n.o. -----	<i>Prociphilus tessellatus</i> (Fitch)
Woolly elm aphid a.n.o. -----	<i>Eriosoma americanum</i> (Riley)
Woolly larch aphid -----	<i>Chermes strobilobius</i> Kltb.
Woolly whitefly a.n.o. -----	<i>Alcurothrixus howardi</i> (Quaint.)
Woolly pine scale -----	<i>Pseudophilippa quaintancii</i> Ckll.
Yellow-headed spruce sawfly a.n.o.	<i>Pikonema alaskensis</i> (Roh.)
Yellow-necked caterpillar a.n.o. -	<i>Datana ministra</i> (Drury)
Yellow scale a.n.o. -----	<i>Aonidiella citrinus</i> (Coq.)
Yellow sugarcane aphid -----	<i>Sipha flava</i> (Forbes)
Zimmerman's pine tip moth -----	<i>Pinipostis zimmermanni</i> Grote